Your (Half Yearly Compliance Report) has been Submitted with following details	
Proposal No	SIA/UP/MIS/281623/2022
Compliance ID	116095151
Compliance Number(For Tracking)	EC/M/COMPLIANCE/116095151/2025
Reporting Year	2025
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	13-06-2025
RO/SRO Name	Shri Ashok Kumar Sinha
RO/SRO Email	tg035@ifs.nic.in
State	UTTAR PRADESH
RO/SRO Office Address	Integrated Regional Offices Lucknow
Note:- SMS and E-Mail has been sent to Shri Ashok Kumar Sinha, UTTAR PRADESH with Notification to Project Proponent.	



**Ref No.** GW/EIA/2025/53

**Date:** 03/06/2025

Shalimar Corp Limited

11th Fir., Titanium, Shalimar Corporate Parl Vibhuti Khand, Gomti Nagar, Lucknow - 226010 INDIA Tel.: 0522 - 4030444

Fax: 0522 - 4030413 CIN: U70100DL1988PLC390006

To,

Regional Office,

Ministry of Environment, Forest & Climate Change, Kendriya Bhawan, 5<sup>th</sup> Floor, Sector-H, Aliganj, Lucknow-226024,

Telefax: 0522-2324043

Subject: Post Environmental Clearance Compliance of Project "Shalimar Gallant West" Khasra no. 182, 184, 202 & 203, Vill. Islambadi, Ward-Shanker Purwa, Mahanagar, Lucknow, U.P. M/s Shalimar Corp Ltd. (Pre-Monsoon Season, 2025)

Ref: EC Identification No. EC22B038UP196067, File No. 7178 Dated 03rd November, 2022.

Dear Sir.

This is to inform you that our project has been accorded Environment Clearance from SEIAA, U.P. vide EC Identification No. EC22B038UP196067, File No. 7178 Dated 03rd November, 2022.

We are herewith submitting point wise compliance as per conditions mentioned in the Environmental Clearance (**Pre-Monsoon Season**, **2025**) with latest Environmental Monitoring reports, in prescribed format along with the necessary Annexure for your kind consideration.

We assure that the compliance of the conditions given by Ministry of Environment, Forest and Climate Change are being strictly followed with the progress of the project.

Thanking you, Yours Sincerely,

For, Shalimar Corp Ltd.

**Authorized Signatory** 

Encl: As above



# **Compliance Report**

For

Residential Project "Gallant West"

at

Khasra No.-182, 184, 202 & 203 at Islambadi, Ward-Shanker Purwa, Mahanagar, Lucknow, U.P.

# Pre Monsoon Season Compliance Report 2025

Environment Clearance vide letter no. EC22B038UP196067, Dated 03<sup>rd</sup> November, 2022

Submitted By
M/s Shalimar Corp Limited.

Compliance Report

Residential Project "Shalimar Gallant West" at Khasra No.-182, 184, 202 & 203 at Islambadi, Ward-

Shanker Purwa, Mahanagar, Lucknow, U.P., M/s Shalimar Corp Limited. (Pre Monsoon Season Compliance Report 2025)

**Environment Clearance No.** EC22B038UP196067

**Dated** 03<sup>rd</sup> November, 2022

## **Project Details-**

- 1. Name of Project: "Shalimar Gallant West"
- 2. **Location:** Khasra No.-182, 184, 202 & 203 at Islambadi, Ward-Shanker Purwa, Mahanagar, Lucknow, U.P.
- 3. **Total Plot Area**: 8161.81 m<sup>2</sup>
- 4. **Built up Area**: 32,646.40 m<sup>2</sup>
- 5. Environmental Clearance no. EC22B038UP196067, Dated 03<sup>rd</sup> November, 2022
- 6. **Period of Compliance Report** Pre Monsoon Season Compliance Report 2025

# **Construction Status:**

Construction has been started after obtaining EC vide letter no. EC22B038UP196067, Dated 03<sup>rd</sup> November, 2022 attached as **Annexure-1**. At present construction work is under progress. About 65% construction work has been completed.

been	been completed.		
	Conditions	Compliance Status	
PA	RT A – ADDITIONAL CONDITIONS:		
1	The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.	particularly in open and landscaped spaces, upon	
2	The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.	Development of the green belt will be in accordance to CPCB norms as per APTI index. Selection of plants will be based on majorly 3 following points-  □ Type of pollutant (mainly air) likely to disperse from project  □ Agro-climatic zone and sub-zone of the project area  □ Biological-filter efficiency: Absorption of gases, Dust capturing and Noise control	
3	The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the	CER activities will be done as per the plan submitted during the time of environmental clearance. The details of quantification of CER fund & activities that will be done under CER are annexed as <b>ANNEXURE-3</b> .	
4	next 3 months the details of estimated	The details of estimated construction waste generated during the construction period and its management plan is attached as <b>ANNEXURE-4</b> .	

5.	The project proponent shall submit within the next 3 months the details of segregation plan of MSW.	construction and operation phase have been attached as ANNEXURE-5
6.	The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.	To reduce the load on municipal water supply system Tertiary treated water from STP will be utilized to meet water demands for Horticulture & Flushing.
7	Under any circumstances untreated sewage shall not be discharged to municipal sewer line.	reused in flushing and landscaping. Prior permission will be obtained before discharging the excess treated water, if required.
8	The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.	All the suitable measures are being followed to control the dust dispersion like site barricading of adequate height, sprinkling, covering of construction materials etc. Photographs have been attached as <b>Annexure 6</b> . Environmental monitoring reports showing the parameters within prescribed limits have been attached as <b>Annexure 7</b> .
9	The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.	Mehbullahpur village has been chosen for the CER Activities. The primary goal under this is to promote the overall development of the adopted village, which includes notable infrastructure improvements such as sanitation facilities, potable water provisioning, solar panel installation, health assessment programs, and the implementation of solid waste management.
10	A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.	The existing land use of the project is residential as per the Lucknow Master Plan, 2021. No Forest land is involved in the proposed Project. Forest clearance is not required Lucknow Master Plan has been attached as <b>Annexure-8</b>
11	If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.	The proposed project does not include plans for groundwater extraction, hence no bore well is proposed. However, prior permission from the competent authority will be obtained before any new well establishment. Presently, water for construction purposes and drinking water for laborers are being sourced from private tankers.  Water Tanker bill has been attached as ANNEXURE-22
12	Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.	

Compliance Report

13	PP should display EC granted to them on their website. 6-monthly compliance report	Copy of EC & Compliance report is readily available on company's website. Screenshot of company's website is
	should be displayed on their website and a copy	attached as ANNEXURE-9.
	of the same should be made available to	The same will be also made available to the RWA at the
	occupants / owners in this building.	time of its formation.
14	_	Cement in container are used in the place of Plastic Bag
14	the Possibility and getting the cement in	Cement in container are used in the place of Flastic Bag
	container rather through the plastic bag.	
15		Coment containers are used in the place of plactic base to
15	be no use of "Single use of Plastic" (SUP).	Cement containers are used in the place of plastic bags to avoid single used Plastic
16		Anti-Smog gun is deployed at the site. Photograph of
	order dated 13/01/2020 in IA no.	the same is attached as <b>ANNEXURE-6</b> .
	158128/2019 and 158129/2019 in Writ petition	
	no. 13029/1985 (MC Mehta Vs. GoI and others)	
	anti-smog guns shall be installed to reduce dust	
17	during excavation.  The proponent should provide the electric	Provision for charging of algebra vehicles will be
1/	vehicle charging points and also allocate the	
	safe and suitable place in the premises for the	provided in the basement and stift parking
	same.	
10		Mahhullahmun villaga has hasn adautad andaut. CED
18		Mehbullahpur village has been adopted under the CER
	& Develop them as model village.	activity & will be developed as model village with
		infrastructure improvements such as sanitation
		facilities, potable water provisioning, solar panel
		installation, health assessment programs, and the
		implementation of solid waste management
	RT B – STANDARD CONDITIONS	
1. S	tatutory compliance:	
1	The project proponent shall obtain all necessary	
	Clearance / permission from all relevant agencies	
	including town planning authority before	1) CTE for the project has been obtained and is attached
	commencement of work. All the construction	as ANNEXURE 10.
	shall be done in accordance with the local	2) Provisional fire NOC is attached as <b>ANNEXURE 11.</b>
	building byelaws.	3) AAI NOC has been attached as <b>ANNEXURE 12</b> .
		4)Approved site plan has been attached as <b>ANNEXURE</b>
		13
2.	The approval of the Competent Authority shall	Structural stability Certificate had already been
	be obtained for structural safety of buildings	obtained from certified structural engineer and
	due to earthquakes, adequacy of fire fighting	submitted with earlier compliances. Relevant fire-
	equipment etc as per National Building Code	fighting aguinment are proposed as nor National
	including protection measures from lightning etc.	building Code-2016.
		Structural safety certificate attached as
		ANNEXURE 14.
		Fire safety NOC has been attached for reference.
		A copy of Fire NOC is attached as <b>ANNEXURE 11</b>
3.	The project proponent shall obtain forest	The existing land use of the project is residential as per
	clearance under the provisions of Forest	the Lucknow Master Plan, 2021. No Forest land is
	(Conservation) Act, 1986, in case of the	involved in the proposed Project. Forest clearance is
	diversion of forest land for non-forest purpose	not required Lucknow Master Plan has been attached as
1 1	involved in the president	ANNEYURE-8

**ANNEXURE-8** 

involved in the project.

4		Net Described The market described full inter-
4.	The project proponent shall obtain clearance	Not Required. The project does not fall into any
	from the National Board for Wildlife, if applicable	protected area. So, permission from National Board for Wildlife is not applicable.
5.	The project proponent shall obtain Consent to	The CTE has been issued vide letter no.175377/
5.	Establish / Operate under the provisions of Air	UPPCB / Lucknow (UPPCBRO)/ CTE/ Lucknow
	(Prevention & Control of Pollution) Act, 1981	/2023 dated 23.02.2023.
	and the Water (Prevention & Control of	Copy of CTE is attached as ANNEXURE-10.
	Pollution) Act, 1974 from the concerned State	copy of CTE is attached as ATTACERED To.
	Pollution Control Board/ Committee.	
-		Drive parmission from the competent outhority will be
6.	The project proponent shall obtain the necessary permission for drawl of ground water	Prior permission from the competent authority will be obtained before any new well establishment.
	/ surface water required for the project from the	Presently, water for construction purposes and
	competent authority.	drinking water for labourers is being sourced from
	competent authority.	private tankers.
7.	A certificate of adequacy of available power	NOC from Electricity department has been
/.	from the agency supplying power to the project	Obtained NOC has been attached as <b>ANNEXURE 15</b>
	along with the load allowed for the project	Obtained NOC has been attached as ANNEAURE 13
	should be obtained.	
8.	All other statutory clearances such as the	NOC from fire department has been attached as
•	approvals for storage of from Chief Controller of	•
	<b>Explosives, Fire Department, Civil Aviation</b>	
	Department shall be obtained, as applicable, by	
	project proponents from the respective	
	competent authorities.	
9.	The provisions of the Solid Waste (Management)	It is being done. Separate bins for solid waste and
	Rules, 2016, e-Waste (Management) Rules, 2016,	plastic waste have been placed to facilitate effective
	and the Plastics Waste (Management) Rules,	management.
	2016 shall be followed.	
10.	The project proponent shall follow the	The project planning has adhered to the ECBC / ECBC-
	ECBC/ECBC-R prescribed by Bureau of Energy	R norms to promote energy efficiency.
	Efficiency, Ministry of Power strictly.	In subsequent phases, effective measures such as
		installation of low-water fixtures, implementation of
		rainwater harvesting and wastewater treatment
		systems, utilization of energy-efficient lighting
		fixtures and electrical systems, maximization of
		natural light usage, installation of solar panels, and
		transition of DG sets to effectively reduce electricity
		and diesel consumption, will be taken to promote
		energy conservation.
<b>2.</b> A	Air quality monitoring and preservation:	
1.	Notification GSR 94(E) dated 25.01.2018 of	<b>U</b> 1
		regular water sprinkling, along with the installation of
	Implementation of Dust Mitigation Measures for	
		Additionally, the development of green belts will also
		act as a barrier to further reduce the PM concentration.
	shall be complied with.	
2.	A management plan shall be drawn up and	d Measures are being taken in this regard such as
	implemented to contain the current exceedance	
	in ambient air quality at the site.	sprinkling is being done at site. Bills for the STP
	ware desired at the pro-	treated water used for sprinkling. Reports showing the
		ambient air quality have been attached as
		ANNEXURE 7.
		,-,,-

3.	The project proponent shall install system to	Ambient Air Quality monitoring is being performed
	carryout Ambient Air Quality monitoring for	six monthly regularly.
	common/criterion parameters relevant to the main	
	pollutants released (e.g. PM <sub>10</sub> and PM <sub>2.5</sub> )	
	covering upwind and downwind directions	
	during the construction period.	
4.	Construction site shall be adequately barricaded	Site has been barricaded before the commencement of
	before the construction begins. Dust, smoke &	the work. Green net are being provided
	other air pollution prevention measures shall be	Only vehicles having valid PUC certificates are
	provided for the building as well as the site.	allowed to enter the construction site.
	These measures shall include screens for the	
	building under construction, continuous dust/	
	wind breaking walls all around the site (at least 3	
	meter height). Plastic/tarpaulin sheet covers shall be	
	provided for vehicles bringing in sand,	
	cement, murram and other construction	
	materials prone to causing dust pollution at the site	
	as well as taking out debris from the site.	
5.	Sand, murram, loose soil, cement, stored on site	Sand, murram, loose soil, cement, stored on site
	shall be covered adequately so as to prevent dust	has been covered with Tarpaulin sheets so as to
	pollution.	prevent dust pollution.
6.	Wet jet shall be provided for grinding and stone	Not Applicable
	cutting.	
7.	Unpaved surfaces and loose soil shall be	Noted. Sprinkling is being done at site. Loose soil and
	adequately sprinkled with water to suppress dust.	construction material is being stored covered at site.
8.	All construction and demolition debris shall be	Noted. Currently the project is in initial stage of
	stored at the site (and not dumped on the roads	construction. C&D waste generated will be properly
	or open spaces outside) before they are properly	stored and utilized within the project site.
	disposed. All demolition and construction waste	
	shall be managed as per the provisions of the	
	Construction and Demolition Waste Rules 2016.	
9.	The generator sets to be used during	Currently the project is in initial stage of construction.
	construction phase shall be low sulphur diesel	Rented DG set has been installed at site which is being
	type and shall conform to Environmental	used only at the time of emergency.
	(Protection) prescribed for air and noise mission	,
	standards	
10.	The gaseous emissions from DG set shall be	Noted. Acoustically enclosed DG sets for operation
	dispersed through adequate stack height as	phase will be installed with adequate stack height.
	per CPCB standards. Acoustic enclosure shall	Rented DG set has been installed at site which is being
	be provided to the DG sets to mitigate the	used only at the time of emergency.
	noise pollution. The location of the DG set and	asea only at the time of emergency.
	exhaust pipe height shall be as per the	
	provisions of the Central Pollution Control	
	Board (CPCB) norms.	

11.	For indoor air quality the ventilation provisions as per National Building Code of India.	The building design prioritizes occupant health by incorporating features for optimal indoor air quality. These include compliance with setback bylaws, strategic window placement for airflow, operable windows for ventilation, and building orientation to maximize natural air circulation. Cross ventilation is further facilitated by strategically placed openings. Additionally, exhaust systems in kitchens, bathrooms, and other high-pollutant areas effectively remove contaminants and maintain a healthy indoor environment.
	Water quality monitoring and preservation:	
1.	The natural drain system should be maintained	Natural drainage pattern for the project site is
	for ensuring unrestricted flow of water. No	maintained. To manage storm water, RWH pits are
	construction shall be allowed to obstruct the	being provided on site.
	natural drainage through the site, on wetland and	
	water bodies. Check dams, bio-swales, landscape,	
	and other sustainable urban drainage systems	
	(SUDS) are allowed for maintaining the drainage	
	pattern and to harvest rain water	
2.	Buildings shall be designed to follow the Natural topography as much as possible. Minimum cutting and filling should be done.	Building has been designed so as to maintain the natural topography during designing & planning only. No filing is proposed; However excavation is done for basement.  However, efforts will be made to maintain the topography in the open areas & during paving of roads all along the building line.
3	Total fresh water use shall not exceed the proposed requirement as provided in the project details.	Project adheres to the information produced in the EC.
4.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted and will be done during operation phase of the project.
5.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	There is municipal supply in the vicinity of the Project.

6.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. Would be considered as pervious surface.	The project is in its initial stage of construction; however, the same will be implemented at the time of development of the open spaces, green belt & perforated bricks for paving of pathways.
7.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.	Dual plumbing is proposed for supply of recycled water for flushing, landscape irrigation car washing etc.
8.	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Noted & compliance will be ensured. It will be ensured at the time of providing fixtures.
9.	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Noted & compliance will be ensured. It will be ensured at the time of providing fixtures.
10.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Pre-mixed concrete is being used
11.	The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.	Storm water collection network is proposed to avoid any kind of flooding in the region during rains. RWH pits are being made to manage storm water and ground water recharge.
12.	A rain water harvesting plan needs to be Desig ned where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	Noted and will be done during operation phase of the project.
13.	All recharge should be limited to shallow aquifer.	Noted
14.	construction phase of the project.	Being Complied. Water for construction is being sourced from private tankers.
15.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Presently, water for construction purposes and drinking water for laborers are being sourced from private tankers.  Prior permission from the competent authority will be obtained before any new well establishment.

recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.  17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains.  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.			·
measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.  17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	16.	• •	Noted and will be done during operation phase of
balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.  17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.			the project.
The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.  17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		measured and recorded to monitor the water	
Office, MoEF&CC along with six monthly Monitoring reports.  17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		balance as projected by the project proponent.	
17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		The record shall be submitted to the Regional	
17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		Office, MoEF&CC along with six monthly	
tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated swage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.			
STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	17.	Sewage shall be treated in the STP with	Noted and will be done during operation phase after
make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		tertiary treatment. The treated effluent from	installation of the STP.
not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		STP shall be recycled/re-used for flushing, AC	
not related water shall be disposed in to municipal drain.  18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		make up water and gardening. As proposed,	
municipal drain.  No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted. STP of adequate capacity will be installed during the later stages of construction. During operational phase, generated wastewater will be treated during the later stages of construction. During operational phase, generated wastewater will be installed uring the later stages of construction. During operational phase, generated wastewater will be installed uring the later stages of construction. During operational phase, generated wastewater will be reated during the later stages of construction. During operational phase, generated wastewater will be intered during the later stages of construction. During operational phase, generated wastewater will be reated during the later stages of construction. During operational phase, generated wastewater water generated: 50 KLD (25% higher Capacity) Technology: MBBR  Noted and will be done after installation of the STP.  Noted. During the operation all promoted.  Noted a			
18. No sewage or untreated effluent water would be discharged through storm water drains  19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted. STP of adequate capacity will be installed during the later stages of construction. During operational phase, generated wastewater will be treated in lendscaping and flushing.  Amount of waste water generated: 50 KLD STP Capacity:65 KLD (25% higher Capacity) Technology: MBBR  Noted and will be done after installation of the STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		•	
be discharged through storm water drains  discharged through storm water drains.  discharged through storm water drains.  discharged through storm water drains.  Noted. STP of adequate capacity will be installed during the later stages of construction. During operational phase, generated wastewater will be treated in the on-site STP and utilized in landscaping and flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	18.		No sewage or untreated effluent water will be
19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted. STP of adequate capacity will be installed uring the later stages of construction. During operational phase, generated wastewater will be treated in the on-site STP and utilized in landscaping and flushing.  Amount of waste water generated: 50 KLD STP Capacity:65 KLD (25% higher Capacity) Technology: MBBR  Technology: MBBR  Noted and vill be done after installation of the STP.  Noted During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.			<u> </u>
100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  during the later stages of construction. During operational phase, generated wastewater will be treated in the on-site STP and utilized in landscaping and flushing.  Amount of waste water generated: 50 KLD STP Capacity:65 KLD (25% higher Capacity)  Technology: MBBR  Noted and will be done after installation of the STP.  Noted. During the operation phase, generated wastewater will be treated in the on-site STP and utilized in landscaping and flushing.  Amount of waste water generated: 50 KLD STP Capacity:65 KLD (25% higher Capacity)  Technology: MBBR  Noted and will be done after installation of the STP.  Noted. During the operation phase, generated in the on-site STP and utilized in landscaping and flushing.  Amount of waste water generated: 50 KLD STP Capacity:65 KLD (25% higher Capacity)  Technology: MBBR  Noted and will be done after installation of the STP.	4 -		o c
installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	19.		
(STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.			•
expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.			1 9
submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Amount of waste water generated: 50 KLD (25% higher Capacity) Technology: MBBR  Noted and will be done after installation of the STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		•	
commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  STP Capacity:65 KLD (25% higher Capacity) Technology: MBBR  Noted and will be done after installation of the STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.			S .
water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Technology: MBBR  Noted and will be done after installation of the STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.			ğ .
flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted and will be done after installation of the STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		commissioned for operation. Treated waste	
Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted and will be done after installation of the STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		water shall be reused on site for landscape,	Technology: MBBR
statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.			
Environment, Forest and Climate Change. Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted and will be done after installation of the STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		Excess treated water shall be discharged as per	
Natural treatment systems shall be promoted.  20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted and will be done after installation of the STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		statutory norms notified by Ministry of	
<ul> <li>20. Periodical monitoring of water quality of Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.</li> <li>21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.</li> <li>Noted and will be done after installation of the STP.</li> <li>Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.</li> </ul>		Environment, Forest and Climate Change.	
Treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  STP.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		Natural treatment systems shall be promoted.	
measures should be made to mitigate the odor problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.	20.		
problem from STP.  21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		Treated sewage shall be conducted. Necessary	STP.
21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		measures should be made to mitigate the odor	
21. Sludge from the onsite sewage treatment, Including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  Noted. During the operation phase, sludge generated from the onsite installed STP will be dried and utilized as manure for green belt development at the site.		problem from STP.	
conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.  as manure for green belt development at the site.	21.	o ,	
Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		) <b>.</b>	
Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.			as manure for green belt development at the site.
(CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.		• '	
Treatment Systems, 2013.		Environmental Engineering Organization	
Treatment Systems, 2013.		(CPHEEO) Manual on Sewerage and Sewage	
4 Noise Monitoring and Prevention			
4. LIONE MANIMATINE WINT LEGERIOR	4. N	Noise Monitoring and Prevention	

2.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.  Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noise resulting from operation of construction machinery may constitute an additional environmental stress. Certain practices have been adopted to mitigate noise pollution, as:  1. Curtain walls of about 8ft height are provided to confine the noise within the project area.  2. Equipment making significantly higher noise is being replaced with equipment having tolerable noise level.  3. Workers employed in high noise areas are being rotated.  4. Earplugs/muffs, or other hearing protective wear are being provided to those working close to the noise generating machinery.  Proper maintenance of construction equipment is being done at regular interval. Pollution loads on the ambient air and noise is being monitored time to time.  The noise quality monitoring report and its statistical interpretation is being attached for reference.  It is being done regularly at the time of compliance.
3.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	To prevent noise pollution, measures will be taken at the site.  1. For operation phase, acoustically enclosed DG sets will be provided at the site  2. Green belt will be developed around the project site during the later stage of the construction.  3. Barricading of adequate height has been provided
		along the periphery of the site.
E 10	anger Congomestion Manager	along the periphery of the site.
5. E1 1. 2.	Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	As per ECBC guidelines, effective measures such as installation of low-water fixtures, implementation of rainwater harvesting and wastewater treatment systems, utilization of energy-efficient lighting fixtures and electrical systems, maximization of natural light usage, installation of solar panels, and enclosed type & fuel efficient DG sets, will be taken. fixtures and electrical systems, maximization of natural light usage, installation of solar panels, and enclosed type & fuel efficient DG sets, will be taken.  LED is being used in the common and open

3.	incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	building envelope, resulting in reduced energy consumption. The design incorporates design considerations such as building orientation, landscaping, window design, natural light optimization strategies, and the use of thermal mass materials. Furthermore, adherence to the requirements of applicable building energy codes will be ensured throughout the construction of building elements including walls, windows, and roofs.
4.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	Noted During the operation phase, energy efficient & saving lightings in the common/open area will be installed inside & outside the buildings.
5.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher	Noted. This will be incorporated during operation phase. Solar lighting has been proposed and the same will be installed in common/open area.
6.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Use of solar energy as alternative source of energy is being studied and explored. Solar power will be used for street lighting and common area lighting reducing load over conventional energy sources.
1	A certificate from the competent authority Handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained and submitted along with six monthly compliance reports.	Noted and will be done during operation phase of the project.
2.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Excavated soil during construction will be used for landscape development and horticulture purposes within the site.
3.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Noted and compliance will be ensured during Operation phase.

4	0	NT-4-1 1 11 1 1 1
4.	Organic waste compost/ Vermiculture pit/	Noted and compliance will be ensured during
	Organic Waste Converter within the premises with	Operation phase.
	a minimum capacity of 0.3 kg /person/day must be installed.	
5.	All non-biodegradable waste shall be handed over	Noted and compliance will be ensured during
	to authorized recyclers for which a written tie up	operation phase.
	must be done with the authorized recyclers.	
6.	Any h a z a r d o u s waste generated during	The only hazardous waste being generated is
0.	construction phase, shall be disposed-off as per	waste oil from DG sets & other machineries.
	applicable rules and norms with necessary	These are stored at an isolate & separate area. Proper
	approvals of the State Pollution Control Board.	negotiations are being made with authorized
	upprovides of the State Foliation Control Boards	dealers for safe handling & disposal as per norms.
7.	Use of environment friendly materials in bricks,	Noted. This will be followed at the applicable stage,
/•	blocks and other construction materials, shall be	currently the project is in initial phase of
	required for at least 20% of the construction	construction
	material quantity. These include Fly Ash bricks,	construction
	hollow bricks, AACs, Fly Ash Lime Gypsum	
	blocks, Compressed earth blocks, and other	
	environment friendly materials	
8.	Fly ash should be used as building material in the	Noted. Currently RMC is being used for the
	construction as per the provision of Fly Ash	
	Notification of September, 1999 and amended as	
	on 27th August, 2003 and 25th January, 2016.	
	Ready mixed concrete must be used in building	
	construction	
9.	Any wastes from construction and demolition	C&D waste is being managed as per the provisions
	activities related thereto shall be managed so as to	of the Construction and Demolition Waste
	strictly conform to the Construction and	Rules, 2016.
	Demolition Rules, 2016.	
10.	Used CFLs and TFLs should be properly collected	Noted and will be done before project
	and disposed-off /sent for recycling as per the	Commissioning.
	prevailing guidelines/ rules of the regulatory	
	authority to avoid mercury contamination.	
	reen Cover:	
1.	No tree can be felled/transplant unless exigencies	Noted. The land during the acquisition was vacant
	demand. Where absolutely necessary, tree felling	and devoid of any tree. Therefore, no tree cutting was
	shall be with prior permission from the concerned	done at the site.
	regulatory authority. Old trees should be retained	
	based on girth and age regulations as may be	
	prescribed by the Forest Department. Plantations	
2	to be ensured species (cut) to species (planted).	Noted The trees will be alerted as despite as a
2.	A minimum of 1 tree for every 80 sqm of land	÷
	should be planted and maintained. The existing	plan during the later stages of construction.
	trees will be counted for this purpose. The	
	landscape planning should include plantation of native species. The species with heavy foliage,	
	broad leaves and wide canopy cover are desirable.	
	Water intensive and/or invasive species should not	
	be used for landscaping.	
	or used for fanuscaping.	

Compliance Report

3. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document

Noted. The land during the acquisition was vacant and was devoid of any tree. Therefore, no tree cutting was done at the site.

4. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

Noted. The excavated top soil is being stockpiled at designated location within the project site and will be utilized in backfilling and landscape development.

Being ensured. During construction stage a site wise

plan

is

incorporates on-site parking

and

and

management

traffic

implemented.

The project

# 8. Transport:

- 1. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
  - •Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - •Traffic calming measures
  - •Proper design of entry and exit points.
  - •Parking norms as per local regulation
- 2. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

boundaries will be managed and directed by Designated project personnel.

Mitigating traffic congestion on external roadways.

circulation facilities for 132 vehicles, thereby

The movement of vehicles within the project

Only PUC certified vehicles are allowed to operate in the project.

Certificates have been attached with earlier submitted compliance reports.

detailed traffic management and **3.** traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative of all development and habitation being carried out or proposed to be carried out by the project or other agencies in this 05 kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent implementation of components of the plan which involve the participation of these departments.

Being ensured. During construction stage a site wise traffic management plan is prepared and implemented. The project incorporates on-site parking and circulation facilities for 132 vehicles, there by mitigating traffic congestion on external roadways. The movement of vehicles within the project boundaries will be managed and directed by designated project personnel.

## 8. Human health issues:

1.	All workers working at the construction site	Noted. PPE kits are being provided to labours. PPE
	and involved in loading, unloading, carriage of	kit photographs have been attached as <b>Annexure 20.</b>
	construction material and construction debris or	
	working in any area with dust pollution shall	
	be provided with dust mask.	
2.	For indoor air quality the ventilation provisions	Noted. Compliance will be ensured.
	as per National Building Code of India.	
3.	Emergency preparedness plan based on the	It is being executed. For the purpose of emergency
	Hazard identification and Risk Assessment	Preparedness and disaster management, an
	(HIRA) and Disaster Management Plan shall be	Emergency Response Plan has been implemented at
	implemented.	the site. This plan includes the provision of an
		emergency room equipped with essential supplies
		such as medicines and first aid kit. Additionally,
		arrangements have been made for ambulance services
		to be available on call to address accidental
		conditions promptly. Furthermore, signboards for
		safety & hazards awareness and emergency contact
		numbers signs have been installed throughout the site
		to ensure swift and efficient response to any
		emergency situations.
4.	Provision shall be made for the housing of	Noted. Hutments with basic amenities such as
	construction labour within the site with all	drinking water, electricity, toilet facilities are being
	necessary infrastructure and facilities such as fuel	,
	for cooking, mobile toilets, mobile STP, safe	provided to labours by the contractor. Further, toilets
	drinking water, medical health care, crèche	are being provided at the site. Photograph has been
	etc. The housing may be in the form of temporary	attached as ANNEXURE 16.
	structures to be removed after the completion of	
	the project.	
5.	Occupational health surveillance of the workers	It is being conducted annually.
	shall be done on a regular basis	
6.	A First Aid Room shall be provided in the	First aid facility has been provided at the Project
	project both during construction and	Site.
	operations of the project.	
9. (	Corporate Environment Responsibility:	
1.	The project proponent shall comply with the	Complied. The activities undertaken pursuant to CER
	provisions contained in this Ministry's OM	adhere to the stipulations laid out in the Ministry's
	vide F.No. 22-65/2017-IA.III dated 1st May	OMF.No. 22-65/2017-IA.III, dated 1st May, 2018.
	2018, as applicable, regarding Corporate	This encompasses the implementation of sanitation
	<b>Environment Responsibility.</b>	facilities in the form of toilets, establishment of solid
	- •	waste management system eg. Separate dustbins, and
		• • • •
		installation of solar panels within the adopted village.

_	ny shall have a well laid down	Complied. M/s Shalimar Corp has its own
	tal policy duly approved by the Board	environmental policy which is attached as
	s. The environmental policy should	ANNEXURE-17.
	or standard operating procedures to	
	er checks and balances and to	
bring	into focus any infringements	
/deviation/vi	olation of the environmental / forest /	
wildlife nor	ms / conditions. The company shall	
have defined	l system of reporting infringements /	
deviation / v	iolation of the environmental / forest /	
wildlife nor	rms / conditions and / or	
shareholders	s / stake holders. The copy of	
the board	l resolution in this regard shall be	
	o the MoEF&CC as a part of six-	
monthly rep	_	
	<b>Environmental Cell both at the</b>	Formation of Environmental Cell has been done at
_	company head quarter level, with	HQ level. The same is operational at the site and
	rsonnel shall be set up under the	company head quarter level.
	enior Executive, who will directly to	company near quarter to ven
	the organization	
		EMP activities will be done as now the plan submitted
	n for implementing EMP and	EMP activities will be done as per the plan submitted
	tal conditions along with responsibility	at the time of environmental clearance. Currently the
	e company shall be prepared and shall	project is under initial stage of construction. Further,
	roved by competent authority. The year	copy of EMP has been attached herewith as
	armarked for environmental protection	ANNEXURE-18.
	all be kept in separate account and not	
	ted for any other purpose. Year wise	
1	implementation of action plan shall be	
	the Ministry/Regional Office along with	
the Six Mon	thly Compliance Report	
10. Miscellaneou		
	ct proponent shall prominently	It has been already done on date 04th June 2023.
	at least in two local newspapers of the	
District or	State, of which one shall be in the	e ANNEXURE 19.
vernacular	language within seven days indicating	
that the pr	roject has been accorded environment	t
clearance an	d the details of MoEFCC/SEIAA website	
where it is d	isplayed	
2. The copies of	of the environmental clearance shall	Complied. It has been already submitted to the
be submitted	d by the project proponents to the Heads	respective departments/ organizations.
of local bodi	ies, Panchayats and Municipal Bodies ir	
addition to	the relevant offices of the	
Government	who in turn has to display the same	
	rom the date of receipt.	
	proponent shall upload the status	Copy of EC & compliance report is readily available
	nce of the stipulated environment	on our website.
		on our website.
	,	
	lata on their website and update the	
same on half	f-yearly basis.	

4.	The project proponent shall submit six- monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal	Noted. Half yearly compliance report will be submitted to the website of MoEF&CC on the regular basis.
5.	The project proponent shall submit the Environ mental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Project adheres to the condition. Information regarding the same will be updated soon on website.
6.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Project adheres to the condition. Information regarding the financial closure & operation of the project will done soon.
7.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government	M/s Shalimar Corp adheres strictly to governmental protocols in all aspects, ensuring compliance with regulatory requirements.
8.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Approical Committee.	We, in all respects, adhere to the commitments and recommendations put forth by ourselves and honorable members of the Expert Appraisal Committee during presentation.
9.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Project adheres to the condition.
10.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted
11.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory	Noted
12.	The Ministry reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions.	
13.	The Regional Office of this Ministry shall Monitor compliance of the stipulated conditions. The project authorities should extend full corporation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	M/s Shalimar Corp hereby expresses its unwavering commitment to providing comprehensive cooperation, including but not limited to the provision of data, information, reports, and facilitating site visits for the officials of the Regional Office. We adhere strictly to governmental protocols in all aspects, ensuring compliance with regulatory requirements.

14.	The above conditions shall be enforced, inter-	Noted
	alia under the provisions of the water (Prevention	
	& Control of Pollution ) Act , 1974, the Air	
	(Prevention & Control of Pollution) Act	
	, 1981 , the Environment (Protection )Act , 1986 ,	
	Hazardous & other Wastes (Management and Trans	
	boundary Movement ) Rules, 2016 and public	
	Liability insurance Act, 1991 along with their	
	amendments and Rules and any other orders passed	
	by the Hon'ble Supreme Court of India / High	
	Courts and any other Court of Law relating to the	
	subject matter.	
15.	Any appeal against this EC shall lie with the	Noted
	National Green Tribunal, if preferred, within a	
	period of 30 days as prescribed under Section 16 of	
	the National Green Tribunal Act, 2010.	

# **List of Annexure**

Sl. No.	Annexure	
Annexure 1	Environment Clearance	
Annexure 2	Solar Panel Details	
Annexure 3	CER	
Annexure 4	Construction Waste management Plan	
Annexure 5	MSW Segregation Plan	
Annexure 6	Dust Dispersion Measures Photograph	
Annexure 7	Baseline Monitoring Data	
Annexure 8	Lucknow Master Plan	
Annexure 9	Screenshot on company's website	
Annexure 10	CTE	
Annexure 11	Fire NOC	
Annexure 12	AAI NOC	
Annexure 13	Approved Site Plan	
Annexure 14	Structural Stability Certificate	
Annexure 15	Electricity Department NOC	
Annexure 16	Labour Camp Photograph	
Annexure 17	Environment Policy	
Annexure 18	EMP	
Annexure 19	Cutting of the newspaper	
Annexure 20	Site Photographs	
Annexure 21	Miscellaneous Photographs	
Annexure 22	Water Tanker Record	



# Pro-Active and Responsive Facilitation by Interactive,

Virtuous Environmental Single-Window Hub





# **Government of India** Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Uttar Pradesh)

To,

The CEO SHALIMAR CORP LIMITED

81, Bal Vihar, Picnic Spot Road, Faridi Nagar, CIMAP, Lucknow -226001

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/UP/MIS/281623/2022 dated 07 Jul 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC22B038UP196067

2. File No. 7178 3. **Project Type** New

4. Category

5. Project/Activity including 8(a) Building and Construction projects Schedule No.

**Shalimar Gallant** 6. Name of Project

7. Name of Company/Organization SHALIMAR CORP LIMITED

8. **Location of Project** Uttar Pradesh

N/A 9. **TOR Date** 

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) **Member Secretary** Date: 03/11/2022 **Member Secretary** SEIAA - (Uttar Pradesh)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

# State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow- 226010 E-Mail- doeuplko@yahoo.com, seiaaup@yahoo.com Phone no- 0522-2300541

## Reference- MoEFCC Proposal no- SIA/UP/MIS/281623/2022 & SEIAA, U.P File no-7178

# <u>Sub: Environmental Clearance for Proposed Project Shalimar Gallant West at Khasra No.-182 184, 202 & 203 at Islambadi, Ward-Shanker Purwa, Mahanagar, Lucknow, U.P.</u>

Dear Sir,

This is with reference to your application / letter dated 07-07-2022 & 29-07-2022 on above mentioned subject. The matter was considered by 677<sup>th</sup> SEAC in meeting held on 05-08-2022 and 646<sup>th</sup> SEIAA in meeting held on 02-09-2022.

A presentation was made by the project proponent along with their consultant M/s ENV DAS (India) Pvt. Ltd., Lucknow to SEAC on 05-08-2022.

## Project Details Informed by the Project Proponent and their Consultant

The project proponent, through the documents and presentation gave following details about their project –

- 1. The environmental clearance is sought for Proposed Residential Project "Shalimar Gallant West" at Khasra No.-182, 184, 202 & 203 at Islambadi, Ward-Shanker Purwa, Mahanagar, Lucknow, U.P., M/s Shalimar Corp Limited.
- 2. Area statement of the project:

Sl. No.	Description	Area (m²)	Percentage
1.	Plot Area	8161 81	
2.	Permissible Ground Coverage	3264.45	40%
3.	Proposed ground Coverage	1492.98	18.29%
4.	Permissible FAR Area	12,242.71	(@1.50)
5.	Incentive FAR	679.00	(@0.08)
6.	Permissible Paid Area	11,563.72	(@1.42)
7.	Total Permissible FAR Area with Paid FAR	24,485.43	(@3.00)
8.	Total Permissible FAR area	24,485.43	(@3.00)
9.	Total paid proposed FAR	8186.85	
10.	Proposed FAR (4+5+9)	21,108.57	(@2.58)
11.	Total Open Area	6668.83	
	(Plot Area- Ground Coverage)		
	(8161.81 -1492.98)		
12.	Basement	4926.34	
13.	Other services & EWS	6611.49	
14.	Total Non-Far Area	11,537.83	
15.	Built up Area	32,646.40	
	(Proposed FAR+ Total Non-Far Area)		
	(21,108.57 + 11,537.83)		
16.	Green area Proposed (Soft Green)	1236.31	15.15
		(169 Trees proposed)	

17.	Number of floors	Tower A = G+18	
		Tower B = G+17	
		EWS =G+3	
18.	Height of the building	72.90 m	
19.	Number of units	Tower A =36	
		Tower B=35	
		EWS =16	
		Total Units = 87	
20	Parking Area Required	1675.63	
21	Parking Area Proposed	6333.89	
22	Population	5 person per unit	

- 3. 02 nos. of rain water harvesting pits are proposed.
- 4. Land use details:

Description	Present (Sq. m)	Percentage
Ground Coverage	1492.98	18
Green Area	1236.31	15
Paved Area	5432.52	67
Total	8161.81	100

5. Water calculation details:

SI.	Water	Unit/Area	Total	Rate of	Total	Total	Total Water
No.	Description	(in m <sup>2</sup> )	Occupancy	water	Fresh	Flushing/Recycled	Requirement
	/			demand	Water	water (KLD)	(KLD)
				(lpcd)	(KLD)		
1.	Residential	87units	435	Fresh	40	20	60
		(@5		Water			
		perso <mark>ns</mark>		@ 90			
	A.	per unit)		LPCD			
				Flushing			
	7			Water @			
				45 LPCD			1
2.	Visitors	(10% of	44	Fresh	0.22	0.44	1.00
		total		Water @			
		residential		5 LPCD			
		population)		Flushing		Ca	
		' (2)		Water @		01	
		12		10 LPCD			
3.	Staff	(5% of total	22	Fresh	LAC.	0.33	1.00
		residential		Water @	0.66		
		population)		30 LPCD			
				Flushing			
				Water @			
				15 LPCD			
Total	Domestic wat	er			~41.00	~21.00	62.00
		I		. 1			
6.	Landscape	1236.31		5 l/m <sup>2</sup>	6.00		6.00
				(For			
				Summers)			
				0.5 l/m <sup>2</sup>		0.6 ~ 1.0	
				(For			

			Monsoon)		
	Total Water	demand			68.00
Grand Total		68 KLD (During Non-Monsoon)			
			63 KLD (During Monsoon)		

## 6. Waste water details:

Fresh Water	41 KLD			
Flushing	21KLD			
Horticulture / Landscape	6 KLD (Non-Monsoon)			
	1 KLD (Monsoon)			
Road Washing/Sprinkling	15 KLD (Non-Monsoon)			
	12 KLD (Monsoon)			
Recycled water	42 KLD			
Total Water Requirement	62 KLD			
Total Waste water Generation 50 KLD				
Source of water – Municipal water supply				
STP capacity: 65 KLD (@ 25% higher capacity)				
STP Technology: MBBR Technology				
STP Location: Basement				

## 7. Parking details:

Basement Parking (@32/ECS, Area: 3200 sqm)	100 ECS
Open Parking ((@18/EC <mark>S, Area:360 sq</mark> m)	20 ECS
Visitors Parking (10% of total parking i.e. 120 ECS)	12 ECS
Two wheeler Parking	30
Total Parking Provided (Including visitors Parking)	132 ECS+30 Two wheeler
	parking

# 8. Solid waste details:

SI.	Particulars	Population	Waste generated in kg/day
No.			
1.	Residential (@0.5kg/day)	435	218.00
2.	Visitors (@0.15kg/day)	44	7.00
3.	Staff (@ 0.25kg/day	22	6.00
Total So	olid waste generated	231 kg/day	
Horticulture Waste (@ .0037/sqm/day) (1236.31)			5 Kg/Day
E-Waste (0.15 kg/C/Yr)			Approx. 2 Kg/Day
STP sludge (0.04kg/KLD of waste water)			2 kg/day

# 9. Power requirement details:

Power requirement	793.86 KW	
Source of power and supply capacity	Madhyanchal Vidyut Vitaran Nigam Limited	
	(MVVNL)	
Backup power supply arrangement	662.5 KW (2 DG Set)	
Location of Genset	Open	

1. The project proposal falls under category–8(a) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 05-08-2022 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held 02-09-2022 and decided to grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, GoI and following additional conditions:

## **Additional Conditions:**

- 1. The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2. The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3. The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4. The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5. The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7. Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8. The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10. A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 12. Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 13. PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and a copy of the same should be made available to occupants / owners in this building.
- 14. Project proponent is advised to explore the possibility and getting the cement in container rather through the plastic bag.
- 15. Project proponent should ensure that there will be no use of "Single use of Plastic" (SUP).
- 16. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs. Gol and others) anti-smog guns shall be installed to reduce dust during excavation.
- 17. The proponent should provide the electric vehicle charging points and also allocate the safe and suitable place in the premises for the same.
- 18. Project Proponent should adopt 01 village & develop them as model village.

## Standard Environmental Clearance Conditions Prescribed By Moef&CC, Goi

## 1. Statutory compliance:

- 1. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- 2. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.
- 3. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- 4. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- 5. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- 6. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- 7. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- 9. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- 10. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

## 2. Air quality monitoring and preservation:

- 1. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- 2. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- 3. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.
- 4. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- 5. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- 6. Wet jet shall be provided for grinding and stone cutting.
- 7. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- 8. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and

- construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
- 9. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise mission standards.
- 10. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- 11. For indoor air quality the ventilation provisions as per National Building Code of India.
- 3. Water quality monitoring and preservation:
  - 1. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
  - 2. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
  - 3. Total fresh water use shall not exceed the proposed requirement as provided in the project details
  - 4. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
  - 5. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
  - 6. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
  - 7. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
  - 8. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
  - 9. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
  - 10. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
  - 11. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
  - 12. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.

- 13. All recharge should be limited to shallow aquifer.
- 14. No ground water shall be used during construction phase of the project.
- 15. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- 16. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- 17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.
- 18. No sewage or untreated effluent water would be discharged through storm water drains.
- 19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- 20. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.
- 21. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

## 4. Noise monitoring and prevention:

- Ambient noise levels shall conform to residential area/commercial area/industrial
  area/silence zone both during day and night as per Noise Pollution (Control and Regulation)
  Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely
  monitored during construction phase. Adequate measures shall be made to reduce ambient
  air and noise level during construction phase, so as to conform to the stipulated standards by
  CPCB / SPCB.
- 2. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- 3. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

## 5. Energy Conservation measures:

- Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- 2. Outdoor and common area lighting shall be LED.
- 3. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.

- 4. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- 5. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- 6. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

# 6. Waste Management :

- 1. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- 2. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- 3. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- 4. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg/person/day must be installed.
- 5. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- 6. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- 7. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- 8. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25<sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.
- 9. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- 10. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

## 7. Green Cover:

- 1. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- 2. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.

- 3. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- 4. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

## 8. Transport:

- 1. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
  - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b. Traffic calming measures.
  - c. Proper design of entry and exit points.
  - d. Parking norms as per local regulation.
- 2. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- 3. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

# 9. Human health issues:

- All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- 2. For indoor air quality the ventilation provisions as per National Building Code of India.
- 3. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- 4. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 5. Occupational health surveillance of the workers shall be done on a regular basis.
- 6. A First Aid Room shall be provided in the project both during construction and operations of the project.

## 10. Corporate Environment Responsibility:

- 1. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- 2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any

infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

- 3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

### 11. Miscellaneous:

- 1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- 2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- 3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- 4. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- 5. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- 6. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- 7. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- 8. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- 9. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- Concealing factual data or submission of false/fabricated data may result in revocation of this
  environmental clearance and attract action under the provisions of Environment (Protection)
  Act, 1986.
- 11. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- 12. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

- 13. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- 14. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- 15. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Lucknow. In case of violation; it would not be effective and would automatically be stand cancelled.

The project proponent has to ensure that the proposed site in not a part of any no-development zone as required/prescribed/identified under law. In case of the violation this permission shall automatically deemed to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this Clearance shall automatically deemed to be cancelled.

Further project proponent has to submit the regular 6 monthly compliance report regarding general & specific conditions as specified in the E.C. letter and comply the provision of EIA notification 2006 (as Amended).

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

## Copy, through email, for information and necessary action to -


- 1. The Principal Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email <u>soenvups@rediffmail.com</u>)
- 2. Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email sudheer.ch@gov.in)
- 3. Deputy Director General of Forests (C), Integ rated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector "H", Aliganj, Lucknow 226020 (email rocz.lko-mef@nic.in)
- 4. District Magistrate Lucknow.
- Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – ms@uppcb.com)
- 6. Copy to Web Master for uploading on PARIVESH Portal.
- 7. Copy for Guard File.


(Ajay Kumar Sharma) Member Secretary, SEIAA

Signature Not Verified


Digitally signed by Member

Secretary






EACH UNIT IS 545 WATT TOTAL 10 KWP FOR COMMON AREA LIGHTING.








### **Corporate Environment Responsibility (CER)**

**Project Cost:** Approx. 73.93 crore

**CER Commitment:** 1.48 Cr (2% of project cost)

Sl.	Village	Activities	2023	2024	2025
No.	Adopted				
1.	Mehbullahpur	Solar lights for street	20	18	15
		lightening & public places			
2.		Providing Sanitation	40	30	25
		Facilities & Solid Waste			
		Management			
	7	Total Amount	60 lakhs	48 lakhs	40 lakhs



#### **Solid Waste Management Plan**

#### 1. Introduction:


This outlines comprehensive strategies for the efficient and sustainable handling of solid waste within a designated area. It encompasses waste collection, segregation, transportation, treatment, and disposal methods tailored to minimize environmental impact while maximizing resource recovery. By promoting recycling, composting, and responsible waste disposal practices, the plan aims to reduce landfill usage and mitigate pollution. Additionally, community engagement and education initiatives are integrated to foster public participation and awareness. Through collaborative efforts among stakeholders, this endeavours to create a cleaner, healthier environment for present and future generations.

#### 2. Solid Waste Generation & Management:

Throughout the project's construction and post-construction phases, it will strictly adhere to waste management regulations, encompassing the SWM/ PWM / C&D Waste Management Rules 2016, Hazardous and Other Wastes (Management and Tran's boundary Movement) Rules 2016, and E-Waste Management Rules 2016. These guidelines will be meticulously followed to ensure the appropriate handling and disposal of diverse waste types.

#### 2.1. During Construction Phase-

Construction waste generating from the site will be managed through C&D waste management rules, 2016.






Figure 1: Classification of construction waste





Figure 1: Waste Management Flow Diagram (Construction Phase)

### 2.2. During Operation Phase-

The expected daily waste output is estimated to be approximately 231 kg, covering the total waste generated by all project occupants.

**Table 1: Solid Waste Management** 

Sl. No.	Solid waste	Operation Phase
a)	Quantity of solid waste	MSW: 231 kg/day
b)	Nature of solid waste	Organic waste: Waste vegetables and foods etc. Inorganic waste: Papers, cartons, Thermocol, Plastics, Polythene Bags, Glass etc.
c)	Collection disposal and Treatment of Municipal waste (as per Solid Waste Management Rules, 2016)	The solid waste will be segregated into organic waste & inorganic waste & collected into separated bins. Organic waste will be treated in onsite organic waste converter. All the waste will be picked by the municipal corporation for further treatment and disposal.
d)	Collection disposal and Treatment of e-waste (as per E- Waste (Mgt.) Amendment Rules, 2018)	E-waste will be handed over to authorized dealers.
e)	Recycling	The inorganic wastes comprising recyclable materials, such as paper, plastic, glass etc., will be sold to registered recyclers.



### <u>Details of Segregation Plan of MSW</u> Estimated Solid Waste Generation and Management Plan

**Table 1: Solid waste generation** 

S.No.	Particulars	Population	Waste generated in kg/day				
1.	Residential (@0.5kg/day)	435	218.00				
2.	Visitors (@0.15kg/day)	44	7.00				
3.	Staff (@ 0.25kg/day	22	6.00				
	Total Solid waste generat	ed	231 kg/day				
Hor	ticulture Waste (@ .0037/sq/day	) (1224.16)	5 Kg/Day				
	E-Waste (0.15 kg/C/Yr) Approx. 2 Kg/Day						
S	STP sludge (0.04kg/KLD of wast	2 kg/day					

#### **Segregation & Collection of waste**

- A floor to floor collection system through service lifts shall be provided for collection of solid waste generated.
- Adequate number of colored bins (green and Blue separate for Bio-degradable and Non Bio-degradable) are proposed to be provided
- Recyclable waste will be sold to authorized agencies.
- Hazardous waste (Spent Oil) & e-waste will be stored at separate place and handover to authorized dealers of CPCB.
- Litter bin will also be provided in open areas like parks.

#### **Transportation, Treatment & Disposal**

Generated Solid waste shall be segregated & collected on common solid waste collection center at site, and handed over to authorized recyclers for treatment and disposal.

Following steps have been proposed for collection, treatment and disposal of MSW:

- Step 1: Segregation of MSW at source and collection from the premises
- Step 2: Transportation of MSW
- Step 3: Segregation of MSW for processing
- Step 4: Shredding of the compostable waste to desired particle size
- Step 5: Treatment of biodegradable waste through composting.

• Step 6: Disposal of non-biodegradable waste through authorized dealers.




Fig 7: Waste Management Flow Diagram (Construction Phase)




Fig 8: Waste Management Flow Diagram (Operational Phase)

#### **Hazardous Waste**

The Project is a Building Construction Project in which no storage of hazardous chemicals (as per MSIHC rules) will be done, except HSD (low sulphur variety) required to run standby DG sets. Also, the quantity to be stored will be below the threshold limit specified in the MSIHC rules.

During construction paints, solvents, thinner, oil and lubricants will be stored for use which is hazardous to health.

#### E-Waste

E-Waste (Management & Handling Rule, 2016) Electronic waste, popularly known as 'e-waste' can be defined as waste electrical and electronic equipments whole or in part or reject (such as CDs, floppies, keyboards, monitors, power plug, bulbs, batteries, etc.) which have become obsolete due to:

- Advancement in technology
- Changes in fashion, style and status

• Nearing the end of their useful life.

#### **Responsibility of Consumer or Bulk Consumer**

According to E-Waste (Management & Handling Rule, 2016) responsibility of Consumer or Bulk Consumer is given below:


- Consumer or Bulk Consumer of electrical and electronic equipment shall ensure that
  e-waste generated by them is channelized to authorized collection centers or
  registered dismantlers or recyclers or is return back to the pick-up or take back
  services provided by the producers.
- Bulk consumers shall maintain records of e-waste generated by them in Form-2 and make records available to UPPCB.

The e-waste generated from the proposed project would be suitably managed through assistance from e-waste handling agency.

The mantra of "Reduce, Reuse, and Recycle" applies here also.

- Reduce generation of e-waste through smart procurement and good maintenance.
- Reuse still functioning electronic equipment by donating or selling it to someone who can still use it.

Recycle those components that cannot be repaired. To identify organizations who reuse or recycle electronics.


















### (NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonepat-131028 (Haryana) Ph.: 7082301442, 9250014551 Email: aalkundli@gmail.com Website: www.aalkundli.com



TEST REPORT

Page 1 of 1

Issued To:

M/s ENV DAS (I) Pvt. Ltd.

C-363, Indira Nagar,

Lucknow - 226 016, Uttar Pradesh

Sample Description:

Ambient Air Quality Monitoring

Date of Monitoring: Sampling Site:

21/05/2025 to 22/05/2025

Shalimar Gallant West

at Khasra No.182,184, 202 & 203, at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow (UP) Report No. AAL ENV-20250523039

Date of Receiving:

23/05/2025

Date of Analysis Start:

23/05/2025

Date of Analysis Complete:

28/05/2025

Date of Reporting:

28/05/2025

Sampling Done By:

AAL

#### TEST RESULT

#### Sampling Details:

Type of Monitoring

Sampling Method

Location of Sampling Point

Sampling Started on

Sampling Completed on

Actual Time of Sampling (Hrs)

Average flow Rate for particulate matter (m3/min.)

Total Volume of air sampled for particulate matter (m3)

Ambient Air Quality Monitoring

As per IS-5182 (P-14)-2000

Near Main Gate

12:35 PM (21/05/2025)

12:35 PM (22/05/2025)

24:00 Hrs.

1.17

1684.8

			. 100	34.0	
S. No.	Test Parameters	Unit	Results	Limits as per NAAQS (Max.)	Test Methods
1	Particulate Matter, PM 2.5	μg/m³	54.8	60	IS-5182(P-24)-2019
2	Particulate Matter, PM 10	μg/m³	124.5	100	IS-5182(P-23)-2006
3	Sulphur Dioxide (as SO <sub>2</sub> )	μg/m³	16.2	80	IS 5182(P-2/Sec-1)-2023
4	Nitrogen Dioxide (as NO <sub>2</sub> )	μg/m³	25.9	80	IS-5182(P-6)-2006
5	Carbon Monoxide (as CO)	mg/m³	0.85	02 (8hr)	IS-5182(P-10)-1999
	NAAQS=National Ambient Air Quality Standar			04 (1hr)	

\*\*End of Report\*\*



Note: 1. The Result Indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred not implied. Total liability of our laboratory is limited to the invoice amount.

This report shall not be reproduced wholly or in part without written consent of the laboratory. 4. This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the

date of issue of report unless specified.



### (NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonepat-131028 (Haryana) Ph. : 7082301442, 9250014551 Email : aalkundli@gmail.com

Website: www.aalkundli.com



**TEST REPORT** 

Page 1 of 1

Issued To:

M/s ENV DAS (I) Pvt. Ltd.

C-363, Indira Nagar,

Lucknow - 226 016, Uttar Pradesh

Sample Description:

Ambient Air Quality Monitoring

Date of Monitoring: Sampling Site:

21/05/2025 to 22/05/2025

Shalimar Gallant West

at Khasra No.182,184, 202 & 203, at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow (UP) Report No. AAL ENV-20250523040

Date of Receiving:

23/05/2025

Date of Analysis Start:

23/05/2025

Date of Analysis Complete:

28/05/2025

Date of Reporting:

28/05/2025

Sampling Done By:

AAL

#### TEST RESULT

#### Sampling Details:

Type of Monitoring Sampling Method

Location of Sampling Point

Sampling Started on

Sampling Completed on

Actual Time of Sampling (Hrs)

Average flow Rate for particulate matter (m³/min.)

Total Volume of air sampled for particulate matter (m3)

Ambient Air Quality Monitoring

As per IS-5182 (P-14)-2000

**Near Construction Site** 

01:10 PM (21/05/2025)

01:10 PM (22/05/2025)

24:00 Hrs.

1.16

1670.4

S. No.	Test Parameters	Unit	Results	Limits as per NAAQS (Max.)	Test Methods
1	Particulate Matter, PM 2.5	$\mu g/m^3$	52.7	60	IS-5182(P-24)-2019
2	Particulate Matter, PM 10	$\mu g/m^3$	108.9	100	IS-5182(P-23)-2006
3	Sulphur Dioxide (as SO <sub>2</sub> )	μg/m³	15.3	80	IS 5182(P-2/Sec-1)-2023
4	Nitrogen Dioxide (as NO <sub>2</sub> )	μg/m³	25.4	80	IS-5182(P-6)-2006
5	Carbon Monoxide (as CO)	mg/m³	0.95	02 (8hr)	IS-5182(P-10)-1999
	NAAQS=National Ambient Air Quality Standard			04 (1hr)	

\*\*End of Report\*\*

Deputy Technical Manager Authorised Signatory

This report shall not be reproduced wholly or in part without written consent of the laboratory.

The Result Indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred not implied. Total liability of our laboratory is limited to the invoice amount.

This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory. The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the date of issue of report unless specified.



(NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonepat-131028 (Haryana) Ph.: 7082301442, 9250014551 Email: aalkundli@gmail.com Website: www.aalkundli.com



TC-5826

Page 1 of 1

**TEST REPORT** 

Report No. AAL ENV-20250523041

Issued To:

M/s ENV DAS (I) Pvt. Ltd.

C-363, Indira Nagar,

Lucknow - 226 016, Uttar Pradesh

Sample Description:

**Ambient Noise Monitoring** 21/05/2025 to 22/05/2025

Date of Monitoring: Sampling Location:

Near Main Gate

Sampling Site:

Shalimar Gallant West

at Khasra No.182,184, 202 & 203, at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow (UP)

Date of Receiving:

23/05/2025

Date of Analysis Start:

23/05/2025

Date of Analysis Complete:

28/05/2025

Date of Reporting:

28/05/2025

Sampling Done By:

AAL

#### TEST RESULTS

S. No.	Test Parameter	Unit	Results		R (as per	Requirement CPCB Guidelines)	
1	Noise Level			Area	Category of Area /	Day Time	Night Time
	Lmin	dB(A)	45.9	Code	Zone	(6AM-10PM)	(10PM-6AM)
	L10	dB(A)	58.2				
	L50	dB(A)	52.3	2			
	L90	dB(A)	46.7				
	Leq	dB(A)	56.9				
	Lmax	dB(A)	69.4				
	Leq-Day	dB(A)	58.8	(A)	Industrial Area	75	70
				(B)	Commercial Area	65	55
	Leq-Night	dB(A)	48.2	(C)	Residential Area	55	45
				(D)	Silence Zone	50	40

\*\*End of Report\*\*



Note: 1. The Result Indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred not implied.

2. Total liability of our laboratory is limited to the invoice amount.

3. This report shall not be reproduced wholly or in part without written consent of the laboratory.

This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory.

The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the date of issue of report unless specified.



(NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonepat-131028 (Haryana) Ph.: 7082301442, 9250014551 Email: aalkundli@gmail.com Website: www.aalkundli.com



TC-5826

Page 1 of 1

**TEST REPORT** 

Issued To: M/s ENV DAS (I) Pvt. Ltd.

C-363, Indira Nagar,

Lucknow - 226 016, Uttar Pradesh

Sample Description:

Ambient Noise Monitoring

Date of Monitoring:

21/05/2025 to 22/05/2025

Sampling Location: Sampling Site:

Near Office Area

Shalimar Gallant West

at Khasra No.182,184, 202 & 203, at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow (UP) Report No. AAL ENV-20250523042

Date of Receiving:

23/05/2025

Date of Analysis Start:

23/05/2025

Date of Analysis Complete:

28/05/2025

Date of Reporting:

28/05/2025

Sampling Done By:

AAL

#### TEST RESULTS

S. No.	Test Parameter	Unit	Results	The state of the s	Requirement (as per CPCB Guidelines)			
1	Noise Level			Area	Category of Area /			
	Lmin	dB(A)	44.7	Code	Zone Zone	Day Time (6AM-10PM)	Night Time (10PM-6AM)	
	L10	dB(A)	57.3					
	L50	dB(A)	51.6	7	10			
	L90	dB(A)	45.3					
	Leq	dB(A)	54.8					
	Lmax	dB(A)	66.8		19			
	Leq-Day	dB(A)	56.3	(A)	Industrial Area	75	70	
				(B)	Commercial Area	65	55	
	Leq-Night	dB(A)	47.4	(C)	Residential Area	55	45	
				(D)	Silence Zone	50	40	
			The state of the s	1000				

\*\*End of Report\*\*

JTOSH SRIVASTAVA Deputy Technical Manager Authorised Signatory

This report shall not be reproduced wholly or in part without written consent of the laboratory.

Note: 1. The Result Indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred not implied. Total liability of our laboratory is limited to the invoice amount.

<sup>4.</sup> This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory. 5. The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the date of issue of report unless specified.



(NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonepat-131028 (Haryana) Ph.: 7082301442, 9250014551 Email: aalkundli@gmail.com

Website: www.aalkundli.com



Page 1 of 1

#### TEST REPORT

Issued To:

M/s ENV DAS (I) Pvt. Ltd.

C-363, Indira Nagar,

Lucknow - 226 016, Uttar Pradesh

Sample Description:

Stack Emission

21/05/2025

Date of Monitoring: Sampling Site:

Shalimar Gallant West

at Khasra No.182,184, 202 & 203, at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow (UP) Report No. AAL ENV-20250523043

Date of Receiving:

23/05/2025

Date of Analysis Start:

23/05/2025

Date of Analysis Complete:

28/05/2025

Date of Reporting:

28/05/2025

Sampling Done By:

AAL

#### TEST RESULT

Plant/Section

Stack Identification

Source of Emission

Capacity

Type of Stack

Diameter of Stack

Height of Stack from Ground Level

Height from Roof Level

Height at Which Sampling Port

Product Manufacturing

Type of Fuel Used

Normal Operating Schedule

**Duration of Monitoring** 

Emission Control (if any)

#### Observations

Ambient Temperature (°C)

Stack Temperature (°C)

Velocity (m/s)

Quantity of emission (Nm3/hr.)

n	0	C.	+	:.	

Stack Attached to D G

D G Set

82.5 KVA

Metal

0.075m

4.57m

1.22m

**HSD** 

As per requirement

45 min.

Nil

38

154

12.65

136.71

S. No.	Test Parameters	Unit	Results	Limits as per	Test Methods
1	Particulate Matter (as PM)	g/kw-hr	0.13	CPCB Guidelines ≤ 0.3	IS 11255(P-1)-1985
2	Sulphur Dioxide (as SO <sub>2</sub> )	g/kw-hr	0.27	NS	IS 11255(P-2)-1985
3	Oxides of Nitrogen (as NO <sub>x</sub> ) + Hydrocarbon (as Methane)	g/kw-hr	1.55	≤ 4.7	IS 11255(P-7)-2005 +
4	Carbon Monoxide (as CO)	g/kw-hr	0.82	≤ 3.5	IS 11255(P-15)-2019 IS 13270- 1992
	CPCB=Central Pollution Control Board, NS=Not Specified	, Day 18			

End of Report\*\*

TOSH SRIVASTAVA Deputy Technical Manager Authorised Signatory

This report shall not be reproduced wholly or in part without written consent of the laboratory.

Note: 1. The Result Indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred not implied. Total liability of our laboratory is limited to the invoice amount.

This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory. The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the date of issue of report unless specified.



(NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonepat-131028 (Haryana) Ph.: 7082301442, 9250014551 Email: aalkundli@gmail.com Website: www.aalkundli.com



TC-5826

#### TEST REPORT

Issued To: M/s ENV DAS (I) Pvt. Ltd.

C-363, Indira Nagar,

Lucknow - 226 016, Uttar Pradesh

Sample Description:

Soil Sample 21/05/2025

Date of Sampling: Sample Location:

**Construction Site** 

Sampling Site:

Shalimar Gallant West

at Khasra No.182,184, 202 & 203, at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow (UP) Report No. AAL ENV-20250523044

Date of Receiving:

23/05/2025

Date of Analysis Start:

23/05/2025

Page 1 of 1

Date of Analysis Complete: Date of Reporting:

28/05/2025

Sample Qty.

28/05/2025

1 Kgs.

Sample Packing Condition:

Polythene Bag

Sample Collected By:

AAL

#### TEST RESULT

S. No.	Test Parameters	Unit	Results	Test Methods
1	pH (1:2 Suspension)	ANALYII	7.54	IS 2720(P-26)-1987
2	Electrical Conductivity	μS/cm	735	IS 2720(P-21)-1977
3	Magnesium (as Mg)	mg/kg	169.2	USEPA 6010 C-2000
4	Total Kjeldahl Nitrogen (TKN)	mg/kg	82.7	IS 14684-1999
5	Sodium (as Na)	mg/kg	196.3	USEPA 6010 C-2000
6	Potassium (as K)	mg/kg	90.8	USEPA 6010 C-2000
7	Phosphorus (as P)	mg/kg	62.6	USEPA 6010 C-2000
8	Organic Matter	%	1.24	IS 2720(P-22)-1972
9	Cation exchange capacity (CEC)	Meq/100gm	18.7	IS 2720(P-24)-1976

End of Report\*

HUTOSH SRIVASTAVA Deputy Technical Manager **Authorised Signatory** 

Note: 1. The Result Indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred not implied. Total liability of our laboratory is limited to the invoice amount.

This report shall not be reproduced wholly or in part without written consent of the laboratory.

4. This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory.

5. The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the date of issue of report unless specified.



(NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonepat-131028 (Haryana) Ph.: 7082301442, 9250014551 Email: aalkundli@gmail.com

Website: www.aalkundli.com



TEST REPORT

Page 1 of 1

Issued To:

M/s ENV DAS (I) Pvt. Ltd.

C-363, Indira Nagar,

Lucknow - 226 016, Uttar Pradesh

Sample Description:

**Ground Water** 

Date of Sampling:

21/05/2025

Sample Location:

Near Main Gate (Bore well)

Sampling Site:

Shalimar Gallant West

at Khasra No.182,184, 202 & 203, at Islambadi. Ward Shanker Purwa, Mahanagar, Lucknow (UP) Report No.

AAL WQT-20250523009

Date of Receiving:

23/05/2025

Date of Analysis Start:

23/05/2025

Date of Analysis Complete:

Date of Reporting:

28/05/2025

Sample Qty.

28/05/2025 2 Litre

Sample Packing Condition:

Sterilized Bottle

Sample Collected By:

AAL

Deputy Technical Manager

#### TEST RESULT

S. No.	Test Parameters	Unit	Results		nents As per 500-2012 Permissible	Test Methods
1	Colour	Hazen	<5.0	Limit 5 Max.	Limit 15 Max.	IS 3025(P-4)-2021
2	Odour	13/	Agreeable	Agreeable	Agreeable	IS 3025(P-5)-2018
3	Taste	€/ -	Agreeable	Agreeable	Agreeable	IS 3025(P-8)-2023
4	Turbidity	NTU NTU	<1.0	1 Max.	5 Max.	IS 3025(P-10)-2023
5	pH Value	-	7.28	6.5-8.5	No relaxation	IS 3025(P-11)-2022
6	Total Dissolved Solids	mg/l	925.0	500 Max.	2000 Max.	IS 3025(P-16)-2023
7	Conductivity at 25°C	μmhos/cm	1296	4	/=/	IS 3025(P-14)-2013
8	Calcium (as Ca)	mg/l	88.0	75 Max.	200 Max.	IS 3025(P-2)-2019
9	Chloride (as Cl)	mg/l	154.0	250 Max.	1000 Max.	IS 3025(P-32)-1988
10	Fluoride (as F)	mg/l	0.32	1 Max.	1.5 Max.	APHA 24 <sup>th</sup> Ed. 4500-F D
11	Iron (as Fe)	mg/l	0.29	1.0 Max.	No relaxation	IS 3025(P-2)-2019
12	Magnesium (as Mg)	mg/l	85.0	30 Max.	100 Max.	IS 3025(P-2)-2019
13	Nitrate (as NO <sub>3</sub> )	mg/l	17.2	45 Max.	No relaxation	IS 3025(P-34/Sec-1)-2023
14	Sulphate (as SO <sub>4</sub> )	mg/l	149.0	200 Max.	400 Max.	IS 3025(P-24/Sec-1)-2022
15	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	375.0	200 Max.	600 Max.	IS 3025(P-23)-2023
16	Total Hardness (as CaCO <sub>3</sub> )	mg/l	382.0	200 Max.	600 Max.	IS 3025(P-21)-2009
17	Total Arsenic (as As)	mg/l	ND(DL=0.01)	0.01 Max.	No relaxation	IS 3025(P-37)-2022
18	E.Coli	per 100ml	Absent	Shall not detectable	in any 100 ml sample	IS 15185-2016
19	Total Coliform	per 100ml	Absent	Shall not detectable	in any 100 ml sample	15 15185-2016
	ND = Not Detected, DL=Detection Limit					ASHUTOSH SRIVASTA

Authorised Signatory The Result Indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred not implied. Note: 1. Total liability of our laboratory is limited to the invoice amount.

\*\*End of Report\*\*

This report shall not be reproduced wholly or in part without written consent of the laboratory.

This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory. The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the date of issue of report unless specified.



(NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonepat-131028 (Haryana) Ph. : 7082301442, 9250014551 Email : aalkundli@gmail.com Website: www.aalkundli.com



TC-5826

#### TEST REPORT

Page 1 of 1

Issued To:

M/s ENV DAS (I) Pvt. Ltd.

C-363, Indira Nagar,

Lucknow - 226 016, Uttar Pradesh

Sample Description:

STP Outlet Water

Date of Sampling: Sample Location:

21/05/2025 **STP Plant** 

Sampling Site:

Shalimar Gallant West

at Khasra No.182,184, 202 & 203, at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow (UP) Report No. AAL WQT-20250523010

Date of Receiving:

23/05/2025

Date of Analysis Start:

23/05/2025

Date of Analysis Complete:

Date of Reporting:

28/05/2025

Sample Qty.

28/05/2025 1 Litre

Sample Packing Condition:

Plastic Bottle

Sample Collected By:

AAL

#### TEST RESULT

S. No.	Test Parameters	ANALYT	Results	Limits as per Environment (Protection) Rules,1986 Schedule-VI General Standards for Discharge Inland Surface Water	Test Methods
1	pH Value	-	7.32	5.5 - 9.0	IS 3025(P-11)-2022
2	Total Suspended Solids	mg/l	34.0	100 Max.	IS 3025(P-17)-2022
3	Oil & Grease	mg/l	<2.0	10 Max.	IS 3025(P-39)-2021
4	Biochemical Oxygen Demand (BOD-3 days at 27°C)	mg/l	21.2	30 Max.	IS 3025(P-44)-2023
5	Chemical Oxygen Demand (COD)	mg/l	104.0	250 Max.	IS 3025(P-58)-2023


\*\*End of Report\*\*


TOSH SRIVASTAVA Deputy Technical Manager Authorised Signatory

Note: 1. The Result Indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred not implied. Total liability of our laboratory is limited to the invoice amount.


This report shall not be reproduced wholly or in part without written consent of the laboratory.

This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory. 5. The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the date of issue of report unless specified.





लखनऊ सम्भागीय नियोजन खंड नगर एवं ग्राम नियोजन विभाग उत्तर —प्रदेश





ENQUIRE NOW +

Project RERA Registration No.: UPRERAPRJ569037 | Promoter RERA Registration No.: UPRERAPRM4092










Copyright 2024 Gallant West By Shalimar Crop Ltd.







#### UTTAR PRADESH POLLUTION CONTROL BOARD

#### Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

\_\_\_\_\_

Validity Period :22/02/2023 To 23/02/2028

Ref No. - Dated: - 23/02/2023

175377/UPPCB/Lucknow(UPPCBRO)/CTE/LUCKNOW/2023

To,

Shri SHEO JANAM CHAUDHARI

M/s SHALIMAR CORP LTD GALLANT WEST

Khsra No. 182, 184, 202 and 203, Mohalla Islambadi, Ward Shankarpurwa, Mahanagar,

Lucknow, LUCKNOW, 226006

**LUCKNOW** 

Sub: Consent to Establish for New Unit/Expansion/Diversification under the provisions of

Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention

and control of Polution) Act, 1981 as amended.

Please refer to your Application Form No.- 19467449 dated - 15/01/2023. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions:

- 1. Consent to Establish is being issued for following specific details:
  - A- Site along with geo-coordinates:
  - B- Main Raw Material:

Main Raw Material Details			
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity	
cement,sand water,dust,Aggregate	Metric Tonnes/Day	87	

#### C- Product with capacity:

Product Detail		
Name of Product	Product Quantity	
71 FLATS AND 16 EWS UNITS AS DWELLING HOUSES.		

#### D- By-Product if any with capacity:

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
concrete, bricks, steel	Million Tonnes/Month		

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Ouantity (KL/D)

3. Quantity of effluent (ln KLD):

Effluent Details		
Source Consumption Quantity (KL/D)		

4. Fuel used in the equipment/machinery Name and Quantity (per day):

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

- 2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
- 3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 23/02/2028 to the Board.
- 4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution)Act, 1981 from the Board.
- 5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
- 6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

#### **Specific Conditions:**

Ensure strict adherence to consent conditions along with the following points and send compliance report within one month from receipt of this CTE.

- 1. This consent to establish is valid for M/s SHALIMAR CORP LTD GALLANT WEST,Khsra No. 182, 184, 202 and 203, Mohalla Islambadi, Ward Shankarpurwa, Mahanagar, Lucknow, Total Plot area 8161.81 Square meters and Total Built up area 32646.40 Square meters and Green area 1236.31 Square meters and Number of units Tower A=36. tower B=35, EwS=16 Total units 87 flats.
- 2. The Project shall be constructed as per the approved map from the competent authority. In case of any change in capacity, the project will have to intimate the Board. For any enhancement of the above, fresh Consent to Establish has to be obtained from U.P. State Pollution Control Board.
- 3. The project proponent shall comply with the provisions of the Environment (Protection) Act 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended, Plastic Waste Management Rules 201, Solid Waste Management Rules 2016 & Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016 (Whichever is applicable).
- 4. The Order issued by Hon'ble Courts/Hon'ble NGT, MoEF & CC, Central Pollution Control Board, U.P. Pollution Control Board, shall be complied with.
- 5. The Project shall develop proper green belt and rain water harvesting system as per Authority guidelines. For green belt at least 8 feet height plants should be planted which shall be properly protected as proper irrigation and manuring arrangements shall be made. For the development of the green belt, the guidelines issued vide Board office order no. H10405/220/2018/02 Dt. 16-02-2018 shall comply which is available on UPPCB's website.
- 6. Prior to abstraction, the project proponent shall obtain a No Objection Certificate from U.P. Ground Water Authority before abstraction of groundwater, the Unit shall install Piezometer for measurement of groundwater level.
- 7. The unit shall ensure the installation and maintenance of the Sewage Treatment Plant (STP) for the treatment of domestic effluent as per the project report submitted to ensure compliance with Environment standards as per the Environment (Protection) Act 1986. The project shall install Sewage Treatment Plant with the capacity of 65 KLD & treated water shall be used in gardening /flushing.
- 8. The Project shall install D.G Set of the capacity 662.5 and 662.5 KVA along with the minimum stack and APCS as specified in E.P Rules 1986 with adequate acoustic enclosures on each DG sets. The low sulphur diesel will be used as fuel in the D.G set. Under the Noise Pollution (Regulation and Control) Rule 2000, the project shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during day time and 70 dB(A). The project shall use clean fuel as far as possible.

  9. The Project shall dispose the Hazardous Waste through authorized recyclers/ TSDF.
- 10. At the project site a display board size of 4x6 feet shall be installed to display the provisions of Construction and Demolition Rules 2016.
- 11. The Project shall not establish Hot Mix/Ready Mix/Wet Mix Plant without prior permission of the state Board. All construction activities shall be according to authority guidelines.
- 12. The dust emission from the construction sites will be completely controlled and all precautions including Anti-smog guns as per order of the Hon'ble Supreme Court dated 13-01-2020 will be installed in the site at suitable places.
- 13. The Project shall not use groundwater in construction activities. Only STP-treated water shall be used.
- 14. Storage of any construction material particularly sand will not be done on any part of the street and roads in the project area. The construction material of any kind stored on site will be fully covered in all respect so that it does not disperse in the air in any form. The dust emission from the construction sites will be completely controlled and all precautions will be taken on that behalf.
- 15. All the construction material & debris will be carried in trucks or vehicles which are fully covered and protected so as to ensure that the construction debris or construction material does not get dispersed into the air or atmosphere in any form whatsoever.
- 16. The vehicles carrying construction debris or construction material of any kind will be cleaned before it is permitted to ply on the road after unloading such material.
- 17. Every worker working on the construction site and involved in loading, unloading, and carriage of construction debris or construction material shall be provided with the mask to prevent inhalation of dust particles.
- 18. All medical aid, investigation, and treatment will be provided to the workers involved in the construction of the building and carrying of construction of the building, and carrying of construction debris or construction material related to dust emission.
- 19. The transportation of construction material and debris waste to the construction site, dumping site, or any other place will be carried out in accordance with the rules.
- 20. Fixing sprinklers and creation of green air barriers will be done to control fugitive dust emissions

and improve the environment.

- 21. Compulsory use of wet jet in grinding and stone cutting will be practiced.
- 22. Wind breaking wall will be constructed around the construction site.
- 23. All approach roads & campus roads should be sprinkled with water to suppress the dust Emission.
- 24. In case of violation of the above-mentioned conditions or any public complaint the consent to Establish shall be withdrawn in accordance with the law.
- 25. The project shall submit the first compliance report with respect to conditions imposed within 30 days of the issue of this permission.
- 26. The project proponent shall ensure to submit the license obtained from the other concerned departments.
- 27. The project proponent shall develop the forest by adopting the Miyawaki technique in the premises.
- 28. The CTE is being issued as per the provision of the Environment (Protection), Act, 1986, the Water (Prevention and Control of Pollution) Act, 1974, and the Air (Prevention and Control of Pollution) Act, 1981.
- 29. The Project shall not start gaseous emission & sewage generation without the prior consent of the Board.
- 30. All the NOC, Licence, permission, etc. shall be taken from all concerned statutory authorities
- 31. The project shall submit the compliance report of Environment clearance from the State Environment Impact Assessment Authority (SEIAA).
- 32. The board has the right to modify any condition as & when required in compliance with any change in environmental guidelines and Hon'ble court orders passed time to time.
- 33. A Bank Guarantee of Rs. 5, 00,000 (Five lahk Rupee only) shall be submitted within 30 days from the date of issue of this order for compliance with the above conditions which will be valid for five years otherwise this consent to establish shall be deemed to be withdrawn.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 23/03/2023 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.


**Regional Officer** 

Dated: - 23/02/2023

#### Copy To -

Chief Environment officer (C-5) U.P. Pollution Control Board TC 12 V, Vibhuti Khand, Gomti Nagar, Lucknow.

**Regional Officer** 



### प्रारूप-घ (संलग्नक-3) औपबन्धिक (प्रोविजनल) अनापत्ति प्रमाणपत्र

यूआईडी संख्या: UPFS/2022/47456/LCK/LUCKNOW/2713/DD

दिनांक:04-04-2022

प्रमाणित किया जाता है कि मैसर्स Shalimar Corp Limited (भवन/प्रतिष्ठान का नाम) पता Khasra no.- 182,184,202 and 203 at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow तहसील - Lucknow प्लाट एरिया 8182.00 sq.mt (वर्गमीटर), कुल कवर्ड एरिया 22454 (वर्गमीटर), ब्लाकों की संख्या 2 जिसमें

ब्लॉक/टावर	प्रत्येक ब्लाक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
Tower A	21	1	72.90 mt.
Tower B	19	1	66.00 mt.

है। भवन का अधिभोग मैसर्स **Shalimar Corp Limited** द्वारा किया जायेगा। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाओं का प्राविधान एन०बी०सी० एवं तत्संबंधी भारतीय मानक ब्यूरो के आई०एस० के अनुसार किया गया है। इस भवन को औपबन्धिक अनापत्ति प्रमाणपत्र, एन०बी०सी० की अधिभोग श्रेणी **Residential** के अन्तर्गत इस शर्त के साथ निर्गत किया जा रहा है कि प्रस्तावित भवन में अधिभोग श्रेणी के अनुसार सभी अग्निशमन व्यवस्थाओं के मानकों का अनुपालन पूर्ण रूप से किया जायेगा तथा भवन के निर्माण के पश्चात भवन के अधिभोग से पूर्व अग्नि सुरक्षा प्रमाण पत्र प्राप्त किया जायेगा। ऐसा न करने पर निर्गत प्रोविजनल अनापत्ति प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मैसर्स **Shalimar Corp Limited** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

Note: प्रस्तावित भवन में मानक के अनुसार चौड़ाई के प्रवेश/निकास द्वार व फायर टेण्डर वे के साथ-साथ समस्त अग्निशमन/ढांचागत व्यवस्था का मानक के अनुसार प्रावधान किया जाय।

<u>"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों , सूचनाओं के आधार पर निर्गत किया जा रहा है | इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा | यह प्रमाण-पत्र भूमि</u>

/ भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है <u>|"</u>

हस्ताक्षर (निर्गमन अधिकारी)

(उप निदेशक)




Digitally Signed By (VIJAY KUMAR SINGH)


[546A902FE4D42A5123E8A8F277613D624EF16119]

13-04-2022

निर्गत किये जाने का दिनांक : 13-04-2022

स्थान: LUCKNOW





भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

LUCK/NORTH/B/081722/689282

मालिक का नाम एवं पता

M/S Shalimar Corp Ltd and Others

दिनांक/DATE:

26-08-2022

**OWNERS Name & Address** 

A 2/3, F.F., Safdarjung Enclave, Delhi, South Delhi-110029

वैधता/ Valid Up to:

25-08-2030

#### <u>ऊँचाई की अनुमति हेतु अनापत्ति प्रमाण पत्र(एनओसी)</u> No Objection Certificate for Height Clearance

- 1) यह अनापित्त प्रमाण पत्र भारतीय विमानपत्तन प्राधिकरण (भाविप्रा) द्वारा प्रदत्त दायित्वों के अनुक्रम तथा सुरक्षित एवं नियमित विमान प्रचालन हेतु भारत सरकार (नागर विमानन मंत्रालय) की अधिसूचना जी. एस. आर. 751 (ई) दिनांक 30 सितम्बर, 2015, जी. एस. आर. 770 (ई) दिनांक 17 दिसंबर 2020 द्वारा संशोधित, के प्रावधानों के अंतर्गत दिया जाता है।
- 1. This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR751 (E) dated 30th Sep.2015 amended by GSR770(E) dated 17th Dec 2020 for safe and Regular Aircraft Operations.
- 2). इस कार्यालय को निम्नलिखित विवरण के अनुसार प्रस्तावित संरचना के निर्माण पर कोई आपित्त नहीं है I
- 2. This office has no objection to the construction of the proposed structure as per the following details:

अनापत्ति प्रमाणपत्र आईडी / NOC ID	LUCK/NORTH/B/081722/689282
आवेदक का नाम / Applicant Name*	Bimal Kumar Srivastava
	Shalimar Gallant at Khasra No. 166-171, 180-203, 205 and 206, of Village Islamabari, Ward Shankarpurwa, Mahanagar, Lucknow-226006, Uttar Pradesh,Mahanagar,Lucknow,Uttar Pradesh
स्थिल के निदशाक / Site Coordinates*	26 53 02.10N 80 57 15.11E, 26 53 08.89N 80 57 20.07E, 26 52 58.43N 80 57 20.93E, 26 53 04.43N 80 57 25.60E, 26 53 02.66N 80 57 28.63E, 26 53 05.05N 80 57 30.78E
स्थल की ऊँचाई एएमएसएल मीटर में (औसतन समुद्र तल से ऊपर), (जैसा आवेदक द्वारा उपलब्ध कराया गया) / Site Elevation in mtrs AMSL as submitted by Applicant*	113.17 M
अनुमन्य अधिकतम ऊँचाई एएमएसएल मीटर में (औसतन समुद्र तल से ऊपर) / Permissible Top Elevation in mtrs Above Mean Sea Level(AMSL)	213.17 M

- \* जैसा आवेदक द्वारा उपलब्ध कराया गया / As provided by applicant\*
- 3) यह अनापत्ति प्रमाण पत्र निम्नलिखित नियम व शर्तों के अधीन है: -
- 3. This NOC is subject to the terms and conditions as given below:
- क) आवेदक द्वारा उपलब्ध कराए गए स्थल की ऊँचाई तथा निर्देशांक को, प्रस्तावित संरचना हेतु अनुमन्य अधिकतम ऊँचाई जारी करने के लिए प्रयोग किया गया है। भारतीय विमान पत्तन प्राधिकरण, आवेदक द्वारा उपलब्ध कराये गए स्थल की ऊँचाई तथा निर्देशांक की यथार्थता का ना तो उत्तरदायित्व वहन करता है, और ना ही इनको प्रमाणीकृत करता है। यि किसी भी स्तर पर यह पता चलता है कि वास्तविक विवरण, आवेदक द्वारा उपलब्ध कराए गए विवरण से भिन्न है, तो यह अनापत्ति प्रमाण पत्र अमान्य माना जाएगा तथा कानूनी कार्यवाही की जाएगी। सम्बंधित विमान क्षेत्र के प्रभारी अधिकारी द्वारा एयरक्राफट नियम 1994 (भवन, वृक्षों आदि के कारण अवरोध का विध्वंस) के अधीन कार्यवाही की जायगी। a. Permissible Top elevation has been issued on the basis of Site coordinates and Site Elevation submitted by Applicant. AAI neither owns the responsibility nor authenticates the correctness of the site coordinates & site elevation provided by the applicant. If at any stage it is established that the actual data is different, this NOC will stand null and void and action will be taken as per law. The officer in-charge of the concerned aerodrome may initiate action under the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994",
- ख) अनापत्ति प्रमाण पत्र के आवेदन में आवेदक द्वारा उपलब्ध कराए गए स्थल निर्देशांक को सड़क दृश्य मानचित्र और उपग्रह मानचित्र पर अंकित किया गया है जैसा कि अनुलग्नक में दिखाया गया है। आवेदक / मालिक यह सुनिश्चित करे कि अंकित किए गए निर्देशांक उसके स्थल से मेल खाते हैं। किसी भी विसंगति के मामले में, नामित अधिकारी को अनापत्ति प्रमाण पत्र रह करने के लिए अनुरोध किया जाएगा।
- b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, Designated Officer shall be requested for cancellation of the NOC.
- ग) एयरपोर्ट संचालक या उनके नामित प्रतिनिधि, अनापित्त प्रमाण पत्र नियमों और शर्तों का अनुपालन सुनिश्चित करने के लिए स्थल (आवेदक या मालिक के साथ पूर्व समन्वय के साथ) का दौरा कर सकते हैं।
- c. Airport Operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that NOC terms & conditions are complied with.
- घ) संरचना की ऊँचाई (सुपर स्ट्रक्चर सहित) की गणना अनुमन्य अधिकतम ऊँचाई (ए एम एस एल) से स्थल की ऊँचाई को घटाकर की जायेगी। अर्थात, संरचना की अधिकतम ऊँचाई = अनुमन्य अधिकतम ऊँचाई (-) स्थल की ऊँचाई।
- d. The Structure height (including any superstructure) shall be calculated by subtracting the Site elevation in AMSL from the Permissible Top Elevation in AMSL i.e. Maximum Structure Height = Permissible Top Elevation minus (-) Site Elevation.
- च) अनापत्ति प्रमाण पत्र जारी करना, भारतीय एयरक्राफ्ट एक्ट 1934 , के सैक्शन 9-A तथा इसके अंतर्गत समय-समय पर जारी अधिसूचनाएं तथा एयरक्राफट नियम (1994 भवन, वृक्षों आदि के कारण अवरोध का विध्वंस) के अधीन है।



### भारतीय विमानपत्तन प्राधिकरण् AIRPORTS AUTHORITY OF INDIA

LUCK/NORTH/B/081722/689282

- e. The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including, "The Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994".
- छ) कोई भी रेडियो/ टीवी एन्टीना, लाइटनिंग अरैस्टर, सीढिया, मुमटी, पानी की टंकी अथवा कोई अन्य वस्तु तथा किसी भी प्रकार के संलग्नक उपस्कर पैरा 2 में उल्लेखित अनुमन्य अधिकतम ऊँचाई से ऊपर नहीं जानी चाहिए ।
- f. No radio/TV Antenna, lightening arresters, staircase, Mumty, Overhead water tank or any other object and attachments of fixtures of any kind shall project above the Permissible Top Elevation as indicated in para 2.
- ज) विमानक्षेत्र संदर्भ बिंदु के 8 KM के भीतर तेल, बिजली या किसी अन्य ईंधन का उपयोग जो उड़ान संचालन के लिए धुएं का खतरा पैदा नहीं करता है, ही मान्य है। g. Use of oil, electric or any other fuel which does not create smoke hazard for flight operation is obligatory, within 8 KM of the Aerodrome Reference Point
- झ) यह प्रमाणपत्र इसके जारी होने की तारीख से 8 साल की अवधि के लिए वैध है। एक बार रिवेलीडेशन की अनुमति दी जा सकती है, बशर्ते कि इस तरह का अनुरोध एनओसी की समाप्ति की तारीख से छह महीने के भीतर किया जाए और प्रारंभिक प्रमाणपत्र 8 साल की वैधता अवधि के भीतर प्राप्त किया जाए ।
- h. The certificate is valid for a period of 8 years from the date of its issue. One-time revalidation shall be allowed, provided that such request shall be made within six months from the date of expiry of the NOC and commencement certificate is obtained within initial validity period of 8 years.
- ट) भवन के निर्माण के दौरान या उसके बाद किसी भी समय स्थल पर ऐसी कोई भी लाइट या लाइटो का संयोजन नहीं लगाया जाएगा जिसकी तीव्रता, आकृति या रंग के कारण वैमानिक ग्राउन्ड लाइटों के साथ भ्रम उत्पन्न हो । विमान के सुरक्षित प्रचालन को प्रभावित करने वाली कोई भी गतिविधि मान्य नहीं होगी।
- i. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operations of flights.
- ठ) आवेदक द्वारा विमानपत्तन पर या उसके आसपास विमान से उत्पन्न शोर, कंपन या विमान प्रचालन से हुई किसी भी क्षति के विरुद्ध कोई शिकायत/दावा नहीं किया जाएगा। j. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.
- ड) डे मार्किंग तथा सहायक विद्युत आपूर्ति सहित नाइट लाइटिंग (डीजीसीए भारत की वेबसाइट www.dgca.nic.in पर उपलब्ध) नागर विमानन आवश्यकताएं श्रंखला 'बी' पार्ट । सैक्शन-4 के चैप्टर 6 तथा अनुलग्नक 6 में विनिर्दिष्ट दिशानिर्देशों के अनुसार उपलब्ध कराई जाएंगी ।
- k. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in
- ढ) भवन के नक्शे के अनुमोदन सहित अन्य सभी वैधानिक अनापित्त, संबंधित प्राधिकरणों से लेना आवेदक की जिम्मेदारी होगी, क्योंकि इस ऊँचाई हेतु अनापित्त प्रमाणपत्र लेने का उद्देश्य सुरक्षित एवं नियमित विमान प्रचालन सुनिश्चित करना है तथा इसे भूमि के स्वामित्व आदि सहित किसी अन्य उद्देश्य/ दावे के लिए दस्तावेज के रूप में प्रयोग नहीं किया जा
- 1. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This NOC for height clearances is only to ensure safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land
- ण) इस अनापित्त प्रमाणपत्र आईडी का मूल्यांकन Lucknow विमानक्षेत्रों के संबंध में किया गया है। यह अनापित्त प्रमाणपत्र भारतीय विमान पत्तन प्राधिकरण के विमानक्षेत्रों और अन्य लाइसेंस प्राप्त सिविल विमानक्षेत्रों, जो जी. एस. आर. 751 (ई) जी. एस. आर. 770 (ई) द्वारा संशोधित के अनुसूची III, अनुसूची IV (भाग- I), अनुसूची- IV (भाग -2; केवल RCS हवाई अड्डे) और अनुसूची- VII में सूचीबद्ध हैं, के लिए जारी किया गया है ।
- KCS हवाई সাহ্চ) সাম সন্মুখান VII ৰ মুখাৰছ চ, পাৰেই আমা বিবাহ লাভ ।

  m. This NOC ID has been assessed with respect to the Lucknow Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as m. This NOC ID has been assessed with respect to the Lucknow Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as m. This NOC ID has been assessed with respect to the Lucknow Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as m. This NOC ID has been assessed with respect to the Lucknow Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as m. This NOC ID has been assessed with respect to the Lucknow Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as m. This NOC ID has been assessed with respect to the Lucknow Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as m. This NOC ID has been assessed with respect to the Lucknow Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as m. This NOC ID has been assessed with respect to the Lucknow Airports only and Schedule-VII of GSR 751(E) amended by GSR 770(E)
- त) यदि स्थल रक्षा विभाग के विमान क्षेत्र के अधिकार क्षेत्र में आता है, जैसा कि जीएसआर 751 (ई) की अनुसूची-V में सूचीबद्ध है, तो आवेदक को रक्षा विभाग से अलग से अनापत्ति प्रमाणपत्र लेना होता है। जीएसआर 751 (ई) जी. एस. आर. 770 (ई) द्वारा संशोधित के नियम 13 के अनुसार, आवेदकों को उन स्थलों के लिये, जो जीएसआर 751 (ई) जी. एस. आर. 770 (ई) द्वारा संशोधित के अनुसूची- IV (भाग -2; आरसीएस हवाई अइडों के अलावा) के रूप में सूचीबद्ध बिना लाइसेंस वाले विमान क्षेत्र के अधिकार क्षेत्र में आता हैं, तो संबंधित राज्य सरकार से भी अनापत्ति प्रमाणपत्र लेने की आवश्यकता है।
- n. Applicant needs to seek separate NOC from Defence, if the site lies within the jurisdiction of Defence Aerodromes as listed in Schedule V of GSR 751 E amended by GSR770(E). As per rule 13 of GSR 751 E amended by GSR770(E), applicants also need to seek NOC from the concerned state government for sites which lies in the jurisdiction of unlicensed aerodromes as listed in Schedule-IV (Part-2; other than RCS airports) of GSR 751 E amended by GSR770(E)
- थ) अनापत्ति प्रमाण पत्र (एनओसी) की किसी भी त्रुटि/व्याख्या की स्थिति में अंगरेजी अनुवाद ही मान्य होगा |
- o. In case of any discrepancy/interpretation of NOC letter, English version shall be valid.
- द) स्थल की ऊँचाई और/या संरचना की ऊँचाई के किसी भी विवाद में अन्मन्य अधिकतम ऊँचाई एएमएसएल में ही मान्य होगी |
- p. In case of any dispute with respect to site elevation and/or AGL height, Permissible Top Elevation in AMSL shall prevail.



क्षेत्र का नाम / Region Name: उत्तर/NORTH

### भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

LUCK/NORTH/B/081722/689282

पदनामित अधिकारी/Designated Officer

पदनामित अधिकारी/Designated Officer

उप महाप्रबंदक (ए.टी.एम.) / DGM (A.T.M.)

प्रातीय विमानपत आधिकल्/Aipports Authorty of India
प्रवतन कार्यात्व केशे/Operational Offices RHQ (NR)

प्रवतन कार्यात्व केशे/Operational Offices RHQ (NR)

प्रवता तैयार Prepared by

SANT KOMAR

AGRICATM)

द्वारा जांचा गया Verified by

ईमेल आईडी / EMAIL ID : noc\_nr@aai.aero

फोन/ Ph: 011-25653551

ANNEXURE/अन्तरनक

#### Distance From Nearest Airport And Bearing/निकटतम विमानक्षेत्र से द्री और बीयरिंग

	Distance (Meters) from Nearest ARP/ निकटतम विमानक्षेत्र संदर्भ बिंदु से दूरी (मीटर में)	Bearing(Degree) from Nearest ARP/निकटतम विमानक्षेत्र संदर्भ बिंदु से बीयरिंग (डिग्री
Lucknow	15213.84	28.25
NOCID	LUCK/NORTH/B/	/081722/689282

Post Office Colony
Vigy anpuri

Dandaya

August 17, 2022

1.3,800 0,11 me
0 0.03 0.06 0,11 me
0 0.04 0.00 0.17 tm






### भारतीय विमानपत्तन प्राधिक्रण AIRPORTS AUTHORITY OF INDIA


LUCK/NORTH/B/081722/689282

#### Satellite View











### इंस्टीट्यूट ऑफ इंजीनियरिंग एण्ड टेक्नोलाजी INSTITUTE OF ENGINEERING AND TECHNOLOGY

सीतापुर रोड, लखनऊ – 226 021 (उ.प्र.) भारत

Sitapur Road, Lucknow- 226 021 (U.P.) India

IET/CE/MZK-C&T/2022-4826

Dated: 16-04-2022

Phone: +91 94150 59074 / Email: drkhan1961@gmail.com

To.

M/s Shalimar Corp. Ltd, 11<sup>th</sup> Floor, Shalimar Titanium Vibhuti Khand, Gomti Nagar, Lucknow - 226 010.

Ref: Your letter No. Gallant West/IET/2022/26 dated 01.04.2022.

Dear Sir,

This has reference to your above letter whereby consultancy for vetting of structural design for submission for construction of Group Housing at Khasra No. 182, 184, 202 and 203 Project of Shalimar Gallant Extension by M/s Shalimar Corp. Ltd., Village Islambadi, Ward-Shanker Purwa, Mahanagar, Lucknow.

Dear Sir,


This has reference to your above letter regarding consultancy for vetting of submission structural design as mentioned above. The submission drawings are checked and same being vetting subject to following;

- 1. A total of thirty four (34) drawings for Tower A (Basement+GF+17+Service Floor + Gym + Gym + Terrace) and for TOWER B (Basement+GF+17 Storey + Service Floor + Terrace) building proposed for construction at above mentioned site are presented for vetting.
- 2. The structural design has been carried out by M/s TPC Technical Projects Consultants (P) Ltd, H.O. B-74, Sector 57, NOIDA (UP). As per design, the building is founded on Raft and Isolated footing. The value of SBC is not mentioned on the drawings, as per the clarification provided, it is informed that mentioned that SBC value of 20.00T/m² has been adopted at the depth of 5.00M below NGL.
- 3. The design loads have been adopted in accordance to relevant part I, II, III and V of IS:875. Hence satisfactory.
- 4. The sectional details of structural members are assumed to be as per architectural requirements and as such are considered in the structural design.
- 5. Design has been carried out as per provisions of IS:456-2000, IS:13920-2016 and IS:1893-2016, hence satisfactory.
- 6. In the structural design, concrete grade of M<sub>30</sub> is adopted for foundation, M<sub>50</sub>, for columns from foundation to 8<sup>th</sup> floor, M<sub>40</sub> for columns from 9<sup>th</sup> to 16<sup>th</sup> floor and M<sub>30</sub> for columns from 16<sup>th</sup> to terrace level is adopted respectively. For Slab & Beam, the M<sub>30</sub> grade of concrete is adopted all the levels. The steel grade of Fe 500 is adopted for all structural members in design.
- 7. Since very high grade of concrete, M<sub>50</sub> and M<sub>40</sub> has been adopted in the structure, therefore, it is advised to use design concrete mix for the grades of concrete to be used as mentioned above. Also design should also be used for M<sub>30</sub> concrete grade and get the material test report of all the constructional material prior to their use.
- 8. As per drawing No. 2021-137-S-108 and 2021-137-S-109 are for the steel truss designed for service floor consisting of size 500x750x25mm and 400x600x25mm. It is specifically suggested to adopt and carry out the welded joint as per the IS code provisions of IS-816 and other related codes.
- 9. Before casting of each structural member, verification to effect of proper laying and placing of reinforcement must be verified/certified by the competent authority and kept as record.
- 10. All essential and necessary clearances from appropriate authorities must be obtained before construction.
- 11. All requisite NOC's including Pre-construction NOC from UP Fire Services should be obtained before starting construction.

With above comments, suggestion and recommendations for amendments design is found Safe and as such vetted.

Enclosure: 34 Nos. Drawings as mentioned above

(Prof. M. Z. Khan)
Professor & Principal Investigator,
Civil Engg Department



E-mail: eeeuddMahanagar@rediffmail.com



कार्यालय अधिशासी अभियन्ता
विद्युत नगरीय वितरण खण्ड, महानगर,
मध्याँचल विद्युत वितरण निगम लि०,
डी०एन० शाह पार्क, कपूरथला,
लेसा, लखनऊ।

संख्या उऽऽऽ

/वि.न.वि.खं0महा०/

दिनांकः । ९ -०२ - 2022

विषय:—ग्राम इसलामबाड़ी, जनपद लखनऊ के खसरा सं0—182, 184, 202 व 203 पर स्थित भूखण्ड पर प्रस्तावित मानचित्र के संबंध में अनापत्ति प्रदान किए जाने के संबंध में।

रशालीमार कॉर्प लि0 टाइटेनियम कॉपोरेट पार्क, विभूति खण्ड, गोमती नगर, लखनऊ, 226010.

कृपया उपरोक्त विषयक अपने कार्यालय के पत्रांक GallantExt./Electric/2022/14 दिनांक 07.02. 2022 का संदर्भ ग्रहण करें। उपरोक्त विषयक उक्त पत्र के माध्यम से आप द्वारा परिसर खसरा सं0—182, 184, 202 व 203, इसलामबाडी, जनपद लखनऊ के भूखण्ड के प्रस्तावित मानचित्र के संबंध में अनापित्त चाही गयी है, जिसके संबंध में आपको अवगत कराना है कि उक्त परिसर की स्थलीय निरीक्षण करने पर श्री विकास कुमार पुत्र श्री संतोष कुमार, पता—प्लाट नं0—408ख, नियर नववीर बाबा का मन्दिर विज्ञानपुरी महानगर, लखनऊ के नाम से विद्युत संयोजन खाता सं0 8456300000 के विरूद्ध रू० 3,33,493.00 का बकाया पाया है। अतः उक्त बकाये को जमा कराने के पश्चात् आवेदनकर्ता द्वारा अनुमानित 600 कि0वा0 विद्युत भार (नक्शा एल0डी0ए0 द्वारा अभी स्वीकृत नहीं है) को भार 33/11 के0वी0 आई0टी0 आई0 उपकेन्द्र से निर्गत किया जा सकता है।

(आर0कें0 मिश्र) अधिशासी अभियन्ता



Name: VIKAS KUMAR S/O SHRI SANTOSH KUMAR Bill No: 845632541043 DUPLICATE

Disconnection Date

Bill Due Date

A/C No: 8456300000

3/3/2022 05:10:44 PM

24-JAN-2022 31-JAN-2022

Address: PLOT NO.408KHA, NR NOVABEER BABA KA MANDIR, VIGYANPURI,LKO LUCKNOW UP IND Circle: CIR36266

Division: DIV362663 Sub Division: SDO3626631 K No: 0012639665

Book No : 362663160127 SC No : MV\_677361

Account No: 8456300000 Mobile No: 0000000000

Bill Date: 17-JAN-2022 Bill Month: JAN-2022

Meter Badge	Meter	Recor	Bill	Previ	ous	Curre	nt	DIF	M.F	Billed	Period	Meter Read	Meter
No.	No.	d Dmd	Basis	Read Date	Read	Read Date	Read			Units	(Months)	Rmrk	Status
3213842F81888	F81888		MU	25-DEC-19	72290	27-FEB-21	74085	1795	1	1795 KWH	14		А
3213842F81888	F81888	0	MU						1	0 KW	14		^

	Assessed Units		Adjustment Units	Total Billed Units
KWH	KVAH	KVA		Total Billed Onits
				1795

Arrears Details(₹)				EC Calculation		Connection Details		
Category Arrears	Amount(₹) 208926.58	Units	Rates	Amount	Description	Tariff Code		
Previous Late Pymnt Surcharge	65245.51	1795	7.5	13462.50	Energy Charge	Supply Type Sanctioned Load	20	
Miscellaneous Arrears Total	0.00					Security Deposit (₹)	39742	
Total	274172.09					Inoperative Balance (₹)	0	
				-		Additional Security Security Deposit interest	-13.95	

Bill Details(			I Details(₹)		Las	t Payment	Status	
Electricity Charges Fixed/Demand Charges Rural/Dept Rebate Load Factor Rebate	13462.50 9240.00 0.00 0.00	Installment Amount (A)Installment Number	0.00	Amount (₹) Receipt No Receipt Date			129400.0 84563008244 17-NOV-201	
Power Loom Rebate Amount for Min Charges Dishonor Cheque Solar Heater Rebate	0.00 2521.49 0.00	Tabal Davids		Payment De Cash	tails		1294	400.00
Tax Collected at Source	0.00	Total Payable	293451			Consump	tion Pattern	
TDS	0	Amount (₹)		Bill Month	Units (KWH)	Units (KVAH)	Demand	Status
LT Metering surcharge	0.00	Payable Amount in	Two Lakh Ninety Three	DEC-2019	5		0	MU
Surcharge exceeding Demand	0.00	words	Thousand Four Hundred Fifty	NOV-2019	2		0	MU
Capacitor Surcharge	0.00		One Rupees Only	JUN-2019	2		5	OK
Current Bill LPSC	0.00			APR-2019	6114		4.5	OK
Electricity Duty	1702.69			NOV-2018	26004		0	OK
Regulatory Surcharge1	0.00			MAR-2018	104		10	OK
Regulatory Surcharge2	0.00						1	1 Circ
Deferred FC	0.00							
Provisional Adjustment	-7633.75							
Tariff Adjustments/Prev FC	0.00							
Misc Debit	0.00							
FC/Installment Credit	0.00							
Current Payable Amount(₹)	19292.93							

Energy Saved Is Energy Produced.

Note: If the Bill is not paid by Due Date, the supply will be disconnected without any further notice.


Book No.	Receipt No.	Cou	nter no.	Old Acct No	Acct No	Bill No.
362663160127	845630073571	3626	36301	0012639665	8456300000	845632541043
Recvd Amt(in Rs.	Paidby		Chqdd No	Chadd Dt	Bnk	843032341043 Bnkbr
333518	CHEQUE		758323	1	STATE BANK OF INDIA	BIIKDI
(Total Amt In Figures)	333518		(In Words)	Three Lakh Thirty Thr	ee Thousand Five Hundred Eigh	teen Runees Only
					The Francisco Eight	teen rapees only

Counter Name	Received by	Collection Date	1 //	Due Date	24-JAN-2022
DIV362663	ESANJAY	03-MAR-22	Cashier Signature	Total Amount Payable by due Date( ₹)	293451


NOTE:Pay your Bill online- <u>www.uppclonline.com</u> EXECUTIVE ENGINEER - EUDD\_MAHANAGAR

Pay DD/Cheque in favour of E-Suvidha Please update your Mobile #


**DIAL TOLL FREE 1912 FOR BILL & SUPPLY COMPLAINTS** 














### **Environmental Policy**

We, **M/s Shalimar Corp** are engaged in real estate, property management, allied services & civil construction and are committed to upholding environmental standards and sustainability principles across all our construction units.

Our business operations adhere to best-in-class industrial practices, in line with national and state standards, codes of practice, and applicable legal requirements. Our processes prioritize sustainability and aim to meet the needs and expectations of stakeholders. We're committed to building a more sustainable future through low-carbon construction practices, safeguarding the environment, and minimizing environmental impact.

The following commitments outlined in this environmental policy pertain to **M/s Shalimar Corp**'s environmental objectives across all its operations:

- i. Utilization of natural resources, raw materials, and inputs sustainably and efficiently.
- ii. Adoption of sustainable construction practices, such as using eco-friendly materials and reducing carbon emissions.
- iii. Minimization of waste generation and efficient use of resources throughout construction activities.
- iv. Manage waste following the principles of Reduce, Reuse, and Recycle.
- v. Implementation of measures to prevent pollution, including proper/safe disposal of solid waste & hazardous materials, if any.
- vi. Ensure compliance with relevant legislation governing company activities and services.
- vii. Foster initiatives to safeguard biodiversity conserve water sources and protect ecosystems.
- viii. Regular monitoring and evaluation of environmental performance to identify areas for improvement.
- ix. Consistently enhance environmental performance through efficient management, regular assessments, and initiatives promoting safe, healthy, and respectful behaviors among all stakeholders.
- x. Transparency and communication regarding the company's environmental efforts with stakeholders, including clients, suppliers, and regulatory authorities.
- xi. Integration of environmental considerations into decision-making processes at all levels of the organization.




### **EMP Budget Allocation**

The budget provisions have been kept in the project cost towards the environmental protection, control & mitigation measures and implementation of the EMP, both during the construction and operation phase.

### **Expenses made from EMP Budget-**

Following table depicts the provision of EMP budget in different divisions with the expenditure done till date.

Sl. No.	Particulars	Capital Cost (Lakhs)	Recurring Cost (Lakhs /Year)	Expenses done
1.	RWH Pits	4	1	
2.	Solid Waste Management	15	5	0.5
3.	STP	80	10	
4.	Environmental Monitoring		2	
5.	Horticulture & Green Belt	15	8	1
6.	Fire Fighting	25	8	1
7.	Health, Safety & Miscellaneous	5	3	1
	Total	144	37	3.5



## मुख्यमंत्री ने परिवहन विभाग की 93 नई राजधानी सेवा एवं सात साधार सायास्त

### द्वितयात्राहरनागरद्यां स्थानकाहों में भी हो गायोग क मौके पर यूं तो भाजपा पूरे प्रदेशभर में कार्यक्रम करेगी, ों, खानकाहों व दरगाहों में योग के कार्यक्रम आयोजित किए व्रीच इतने बड़े पैमाने पर योग का कार्यक्रम कराने की पहल

विशेष संवाददाता। लखनऊ, मुख्यमंत्री योगी आदित्यनाथ ने जनता की सुविधा के लिए 100 नई बसों की सौगात देते कहा कि सुगम यात्रा और सुरक्षित यात्रा हर नागरिक का अधिकार है। उन्होंने कहा कि बस सेवा के विस्तार के लिए निजी आपरेटरों का भी सहयोग लिया जाना चाहिए।

मुख्यमंत्री ने शनिवार को दिल्ली के लिए 93 नई राजधानी सेवा एवं 7 साधारण बीएस-6 बसों को हरी झंडी दिखाकर रवाना करते हुए यह बातें कहीं। उन्होंने कहा कि हमारे सामने सड़क दुर्घटना से होने वाली मौतों के आंकड़े अत्यंत भयावह है। सड़क हादसों की भयावहता की चर्चा करते हुए कहा कि तीन वर्ष में कोरोना जैसी बीमारी से जितनी जानें नहीं गईं, उससे ज्यादा मौतें एक वर्ष में सड़क दुर्घटना

प्रदेश में बढ़ रही है इलेक्ट्रिक बसों की मांग : सीएम योगी ने इलेक्ट्रिक बसों के महत्व पर चर्चा करते हुए कहा कि जहां इलेक्ट्रिक बस सेवा प्रारंभ हुई है वहां लोगों में एक नई



म है। केंद्र में तैनाती मिलने के बांद वह कार्यमुक्त होने के बाद सीएम योगी ने शनिवार को लखनऊ से 100 बसों के बेड़े को रवाना किया। इस मौके पर परिवहन मंत्र

डिमांड शुरू हुई है। हमने वर्तमान में यूपी के 10 शहरों में इलेक्ट्रिक बस सेवा की शुरुआत की है।

इससे पहले सीएम योगी ने उत्तर प्रदेश परिवहन निगम को 50 वर्ष की यात्रा पूर्ण करने पर शुभकामनाएं दीं। आज राजधानी सेवा की जिन 93 बसों और 7 अन्य साधारण बसों का यहां प्रारंभ किया जा रहा है, इसके लिए प्रदेशवासियों को भी हदय से शुभकामनाएं हैं।

### मुख्यमंत्री ने अर्बन नक्सिलयों यूनिट से बिजली उत्पादन 30 से

वाराणसी। मुख्यमंत्री योगी आदित्यनाथ ने बनारस में कानून व्यवस्था की समीक्षा के दौरान अर्बन नक्सिलयों से पुलिस को सतर्क किया है। कहा कि इस तरफ विशेष ध्यान देने की जरूरत है। उन्होंने अफसरों को हिदायत दी कि कोई भी अपराधी या माफिया ठेका न लेने पाए। शनिवार को वाराणसी पहुंचे सीएम ने सर्किट हाउस सभागार में विकास

कार्यों व क निर्माणाधीन ६६०-६६० मेगावाट की दो तापीय बिजली काया व का में से एक से 30 जून से बिजली का उत्पादन शुरू कर का। पुलस्त न स्वर्क स 30 जून से बिजली का उत्पादन शुरू कर कानून व्यवकारपोरेशन के वेयरमैन एम. देवराज ने बताया है कि यूपी में प्रेजेटेशन ि बढ़ाने के लिए निर्माणाधीन परियोजनाओं से उत्पादन शीघ्र चुनाव, जी-मिकए जा रहे हैं।

है। मोर्चा के प्रदेश अध्यक्ष कुंवर बासित अली द्वारा इस

को सपा की महिला सभा का नगर अध्यक्ष नियुक्त किया

खान महासचिव नियुक्त की गई हैं। इस मौके पर दोनों

रेयों ने कहा कि वह महिलाओं के मुद्दों की बात करेंगी और

भी। उन्होंने कहा कि महिलाओं की सुरक्षा और उनके

रेष्ठ आईएएस अफसर नरेंद्र भूषण का नाम केंद्रीय

इंपैल्ड हुआ है। उन्हें सचिव स्तर के पद पर तैनाती देने के

की लड़ाई उनकी प्राथमिकता होगी।

संकल आयु प्रयागराज में होगा मंदिरों का विकास

रूम के मा। में महाकुंभ से पहले कई मंदिरों व पर्यटन स्थलों का भी करते हुए राज आश्रम में करीब 1550 लाख से कॉरिडोर विकास व किया जा खार समेत कई कार्य होंगे। आस्था का सम्मान करते हुए कई रों आदि पर भी कार्य होंगे। संगम पर स्थित बड़े हनुमान जी

ोड़, विमान मंडपम मंदिर पर 2करोड़, नागवासुकी मंदिर, के पर कि मान मंडपम मंदिर पर 2करोड़, नागवासुकी मंदिर की मंदिर पर 1.5-1.5 करोड़ से फसाड लाइट लगेंगी।

## भू-उपयोग बदलने की होगी जांच

लखनऊ, विशेष संवाददाता। राज्य सरकार ने कानपुर विकास प्राधिकरण द्वारा मनमाने तरीके से ग्रीन बेल्ट पर आवासीय मानचित्र पास करने और शैक्षिक भू-उपयोग को वाणिज्यिक करने की जांच कराने का फैसला किया है। अपर मुख्य सचिव आवास नितिन रमेश गोकर्ण ने कानपुर के मंडलायुक्त को जांच सौंपी है।

कानपुर के अनूप कुमार शुक्ला ने आवास विभाग को पत्र भेजकर इसकी शिकायत की है। इसमें कहा गया है कि ग्रीन बेल्ट की जमीन में 12000 वर्गमीटर का भू-उपयोग बदलकर आवासीय करते हुए ग्रुप हाउसिंग का नक्शा पास कर दिया है। नियमतः यह नहीं हो सकता है। इसी प्रकार नियमों को ताक पर रखकर शैक्षिक भू-उपयोग की करीब 25000 वर्ग मीटर भूमि का भी भू-उपयोग बदलकर वाणिज्यिक करते हुए ले-आउट स्वीकृत किया गया है। यह भी कहा गया है कि एक बड़े बिल्डर को फायदा पहुंचाने के लिए ये काम किया गया है।

### **PUBLIC NOTICE**

This is for general information that M/s Shalimar Corp Limited has been accorded Environment Clearance by STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA), Uttar Pradesh for its Group Housing Project "Shalimar Gallant West" at Khasra No. 182, 184, 202 & 203 at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow, U.P. through EC Identification No. - EC22B038UP196067, File No.7178, Dated 03rd Nov 2022. The copy of clearance letter is available on website of SEIAA (http://www.seiaaup.in/)

विशेष संवाददाता। सरकारी अस्पतालों में उपलब्ध दवाओं को एक साइन बोर्ड के जरिए प्रदर्शित किया जाए। यह साइन बोर्ड दवा काउंटर के पास ही हो। ताकि आम लोग आसानी से देख सकें कि कौन-कौन सी दवाएं उपलब्ध हैं। डॉक्टर दवाओं के जेनरिक नाम ही पर्चे पर लिखें। इसका अनुपालन हर हाल में सुनिश्चित किया जाए। जो भी दवाइयां जिले के ड्रग वेयर हाउस में उपलब्ध हों, उन्हें हर हाल में अस्पतालों के माध्यम से मरीजों को उपलब्ध कराया जाए। यह निर्देश प्रमुख सचिव चिकित्सा स्वास्थ्य एवं परिवार कल्याण पार्थसारथी सेन शर्मा ने सभी निदेशक प्रमुख, सीएमओ, सीएमएस को दिए हैं।

**र्हिम्यों को ट्रेनिंग देगा बिजली महकमा** विश्वाकरणों और लाइनों के कारण होने वाले हादसों को कम

पावर कारपोरेशन प्रबंधन अब आउटसोर्स कर्मियों को पमार कारपोरेशन के चेयरमैन एम. देवराज ने शनिवार को यह कहा कि कारपोरेशन में कार्यरत प्रत्येक कार्मिक का जीवन दुर्घटनाएं असावधानी के कारण होती हैं।

90 हजार गांवों की घरौनियां तैयार

औ कार ने इस साल दिसंबर तक 90 हजार से अधिक गांवों की का लक्ष्य रखा है। इसके लिए 31 जुलाई तक सर्वे ऑफ मानचित्र प्राप्त कर 31 अगस्त तक मौके पर जाकर परीक्षण प्रमुख सहै। मुख्य सचिव दुर्गा शंकर मिश्र के समक्ष इसकी कार्ययोजना

गए मरीजों त ब्योरा रखा गया है। मांगा है। उसांसदों को ज्ञापन देंगे शिक्षा मित्र

में सफाई प पदों के विवास की नाम को लेकर प्रदेश भर के शिक्षा मित्र पदों के विवास अपने अपने के सामदों को प्रधानमंत्री को संबंधित पदा का बिंद जहां चिकि अपने अपने क्षेत्र के सांसदों को प्रधानमंत्री को संबोधित किस विशेष किस विशेष लाफेयर एशोशियन के अध्यक्ष विश्वनाथ कुशवाहा ने कहा कि ज्यादा चिदि व आन्दोलनों का सरकार पुर कोई असर नहीं हो रहां।

## MY LUCKNO

## SPOTLIGHT: KHELO INDIA UN



### **HT Correspondent**

letters@htlive.com

LUCKNOW: Now, MLAs will be included in various bodies of the state universities, including academic and executive councils.

Vidhan Sabha secretariat issued a list of 15 state universities that will have 5 MLAs as members in different bodies of the universities.

The list of names of MLAs for the universities was issued by principal secretary Pradeep

Kumar Dubey.

For Lucknow University, five MLAs are Ashish Kumar Singh Ashu of Hardoi, Bamba Lal of Unnao, Yogesh Shukla and Ravidas Mehrotra of Lucknow and Aditi Singh of Rae

For KMC Language University, Lucknow, the five nominated MLAs are Yogesh Verma of Kheri, Harvinder Kumar Sahani of Kheri, Anil Kumar Singh of Unnao, Arman Khan of Lucknow and Farid Mahfooz Kidwai of Barabanki.



IDBI Bank Limited
Plot No. CP-12, Viraj Khand
Gomti Nagar, Lucknow - 226 010

#### STRUCTURAL AUDIT OF IDBI BANK'S RESIDENTIAL FLATS AT KANPUR

IDBI Bank invites tender for carrying out Structural Audit of Residential Building at Civil Line, Kanpur, under Lucknow Zone. The last date for submission of the application is June 27, 2023 by 11:00 AM. For details, please visit the Bank's website at

Lucknow June 4, 2023

CGM & ZH

#### **PUBLIC NOTICE**

This is for general information that M/s Shalimar Corp Limited has been accorded Environment Clearance by STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA), Uttar Pradesh for its Group Housing Project "Shalimar Gallant West" at Khasra No. 182, 184, 202 & 203 at Islambadi, Ward Shanker Purwa, Mahanagar, Lucknow, U.P. through EC Identification No. - EC22B038UP196067, File No.7178, Dated 03rd Nov 2022. The copy of clearance letter is available on website of SEIAA (http://www.seiaaup.in/)

## Panjal overal

**National Games** champion Yash Gha wins judo gold

**HT Correspondents** 

letters@hindustantimes.com

LUCKNOW/NOIDA/VAR Panjab University, Char (PUC), regained their champions crown after one edition as despite sweep of the Fencing Guru Nanak Dev Un

## Mappei Apni Dukaan!

# BECOMEA FRANCHISE PARTNER

100%

100%

100%

**Best Returns in** Jewellery Industry.

Secured Sales Result

Insurance of all Jewellery.

Area: Minimum 500 sq.ft. Investment: ₹3 Crore onwards www.bksa Follow us




### Site Photograph

























### **Water Tanker Record**

	6,72	025		
01/6/25 02/6/25 03/6/25 03/6/25 05/6/25	14135 2545 U U U	02 02 02 02 02 02	8:50 8:50 8:40 9:00 9:30 9:05	1 E f of lish 1

5		
	77.0 000	
	मेर्ड 2025	

		3,20	-	
Date	SUPROD	WATERTON	in time	1 Sig
1/3/25	17/17/29	2	0145	उरीकुम
2/5/25		02	8)45	-
3/5/25	ESH	. 02	8,255	. 61
4/5/25	11	03	1218	11
5/5/25		93	0.130	1 1
6/5/25		01	0130	13
7/5/25	010	02	0,132	(1
0/5/25	404	02	8/3/	22/34
9/5/25	The state of the s	02	8.141	
10/5/25	विभिन्न के देश		0150	सुरेश
11/5/25	1	03	9:00	the second second second
12/5/25	U	02	8:45	1
13/5/25	4	0/	9:00	1000
1415/25	18 18	03	9:15	V
15/5/25	9	02	8:36	1
16/5/25	T. 12 (8)	02	8:40	4
17/5/25	4/	02	9:35	2
18/5/25	12.	02	9:20	E2 201
19/5/25	AAASSA	03	9:00	100
20/5/25	4.22	01 20	8:38	71
21/5/25	a 141.19	02	8:40	1
23/5/25	-50; b	08		261
23/5/25	9 24 6	92	9:00	725
24/5/25	0216	03	9:15	1
257 5795	6. 08.80	0/20	9:05	1001
26/5/25	4 6250	03	9:07	1750
27/5/25	81.31	02	8:30	1/1
28/5/25	G 84.8	02 20	83:6.	4
29/5/25	All of 23/19	82	8:56	753
30/5/25	1607 11	02	8:66	40-
31/5/25	71178 22(7	03	8:40	18274

		अंप्रेट २०१८					
Sign	cycle	SUPPEONL	WATER TANKE	7iMe	Sig		
		यान		, , , ,	1 . 1		
	1/4/25		- 02	9:10	Aurocha3		
1000	214/25	· 查案件	02	0.141	11		
	14/25	4/9-4	03	0145	11		
	14/25		0/	8140	11		
	5/4/25	वेहान	02	0147	(1		
9	614/25	划行动	02	0210	()		
	4 14/25		02	9:11	11		
	814/25	देइल	03	9,122	30521		
	914/25	11	03	9311	1,		
	10/4/25	1)	02	9.105	29/2/0		
1000	11/4/25	11	02	0/4/	12/		
1000	12/4/25	33,0	0/	0.130	1,11		
-	13/+/25	11	02	8130	11		
	14/4/25	11	02	8,13/			
2	15/4/25	8.00	03	0142	111		
	15/4/25	11	02	8151	3437		
	19/11/25	473	02	0,150	100		
	18/4/25	254	02	8155	1		
	19/4/25	Altas	93	9.130	7.537111		
6	20/4/25			9:32	1		
	21/4/25	व दूर	02	9:41	0		
	22/4/25	11	0/	9:05	ZADIO		
	193/4/25	11	02	8145	1		
	34/4/25	05.05	02	8150	1		
	25/4/25	11	02	0,30	352		
7	35/4/25	100	02	0130	20/20 3 6		
	32/4/25	11	0/	8131	()		
1000	20/4/25	100	03	8,40	19/1		
1	39/4/25	140	02	0140	201		
	30/4/25	24/44	02	0:55	1502		
		C84	- 50	1785 81118	18/3//10		
		1			100		
		1	4	1/2 // 2 / 1/2			

30te	Suppos	WATER TANKER	1 Time	Sign
in the second				0
103/25	Un	0.3	8:15	126/2
108/25	स्तिम बेड्स	03	9:10	1 22/10
3/03/25	U	02	10.00	17.873
103/25	0	02	8:45	30.35
103/25	10.00	02	8:33	1-15/5
103/25	9	01	8.34	12/2
103/25	6	03	8:58	1-15/6
103/25		03	9:05	787
	4	62	9:15	75/3
10 100	4	02	8:25	TINY :
13/25	10.0	02	8:30	122
2/3/25	9	02	A:33	1-16/1
13/25	SA Jee	03	9:03	1.00
13/25	विकार रेड्स	A ZICA	A A	
5/3/25	-	018 C/C/	新 等計 =	
6/3/25	()	03	8:46	125
7/3/25	2-30	02	8:59	36
5/3/25		02	9:03	
9/3/25	10	02	9:15	7.3
0/3/25	G.	02	8:36	78
21/3/25	1930	03	9:00	255
3/3/25	6	03	8:45	- 56/5
	9	01	9:10	350
4/3/25		0.3	9:05	1.161
5/5/25	1000	02	9:00	120
3/18/185		02	8:38	- 18
7/5/25	4	02	8:50	1202
20/3/20		02	2:40	1 7 VE
9/3/25		02 02 02	9:30	
113/25	a	02	9:45	
1/1	1	02	9:15	
		en l		

AHA ANAN 3022 OHC SUPPLIED WATED TANKED sia Time अग्रिएक +1/09/95 02 9:25 02/02/95 9:41 02 8:41 03/02/25 02 4/02/25 8.150 02 zanjo s 05/02/25 02 9,000 06/02/25 02 9:05 0:52 09/02/25 02 02 00/02/25 0.158 02 09/02/25 9:01 311984 10/02/25 02 9,110 11 11/02/25 0 02 9,21 8 11 01 12/02/25 9201 13/02/25 02 0155 11 14/2/25 02 8:45-11 11 15/22/25 01 0,30 82,58 11 10/2/25 02 1, 12/02/25 8.155 02 18/02/25 11 02 9.111 19/02/25 11 01 9117 11 20/02/25 02 9:31 1, 21/02/25 02 8151 22/02/25 8,40 1, 02 23/02/25 8,52 11 02 0:47 24/22/25 01 11 25/02/25 02 0150 26/22/25 02 0154 11 29/02/25 9:05 02 sterior, 28/22/25-9:12 02